BUILT-IN APPLIANCES MADE EASY.

www.zanussi.co.uk


DEALER STAMP

Electrolux Major Appliances, Addington Way, Luton, Bedfordshire, LU4 9QQ Telephone: 08445 612 612; Registered in England No. 2331516

Electrolux Ireland, Long Mile Road, Dublin 12 Telephone: 00 35 3140 90750; Registered in Ireland No. 9118




























ZHC9454X



Spend less time in the kitchen with the cooking combination that's easiest for you.

| COOKING | 8 |
|----------------------------|----|
| Single Ovens | 14 |
| Built In Double Ovens | 22 |
| Under Counter Double Ovens | 25 |
| Microwaves | 28 |
| Coffee Machines | 32 |
| Hobs | 46 |
| Hoods and Splashbacks | 66 |
| Range Cookers | 78 |
| | |

ZDT312



ZDI122X





Enjoy that long lingering lunch and don't give cleaning up a moment's thought.

DISHWASHERS. ..86



ZYB594X



















ZQF6114A



ZBB6286











ZBB6284

ZKI225



ZQS6124A

Save time with food kept fresh for whenever you need it.

REFRIGERATION.... ...100 ...104 Fridge Freezers... In column Fridges and Freezers.... __110 Built In Fridges .112 and Freezers...

ZWI1125

ZWI2125









Effortless ways to look good, and keep your clothes looking good.

LAUNDRY. ...120



















EVERYTHING MADE EASIER

WITH A LITTLE ITALIAN FLAIR.

At Zanussi, our outlook is simple: time's precious, enjoy it! To help you live life to the full, here's our range of built-in appliances.

Just choose whichever you need from our surprisingly affordable range, and they'll take care of your daily chores — reliably and in style naturally — so you can get on with doing the things you really enjoy. Follow the colour-coded sections to find the kinds of appliances you're looking for and the at-a-glance overviews to find just the right solutions to make your life easier... simple!



MAKING LIFE EASIER

FOR NEARLY A CENTURY.

In 1916, the enterprising young Antonio Zanussi began making stoves in North East Italy, and soon developed a range of innovative products. By the 1950s, under the guidance of Antonio's son Lino, the company was 300 strong, and known throughout Europe for producing gas cookers far ahead of their time in terms of compactness, cooking well and ease of use.

In the 1980s, Zanussi became part of the Electrolux AB Stockholm, whose investment has helped Zanussi continue to develop appliances with Italian design flair, and quality. So you can rely on them to make taking care of the chores as easy as possible... and get on with enjoying life.

ITALIAN SINCE 1916





SO SIMPLE

MAKE COOKING A MORE ENJOYABLE PART OF YOUR LIFE.

Zanussi have a wide range of ovens combining Italian style with quality, easy-to-use appliances to help you cook delicious food with less time and effort.

Available in fingerprint proof stainless steel, white or black to create a stunning focal point in your kitchen.

Our multifunction ovens combine the benefits of fan or conventional cooking with additional functions like pizza or thermal grilling for great results.

You can pair them with a wide choice of gas or electric hobs, including quick heating induction hobs. And to complete the picture, stylish hoods, microwaves and a coffee machine, providing delicious Italian espresso coffee every time.

THE RIGHT INGREDIENTS.

SINGLE OVENS

ZYB594X

ZOB690X

ZOB58OX











ZOB55IX

ZOB330X









ZOB23OX

ZOB9900X 90cm





10



DOUBLE OVENS

ZOD690X





ZOU58OX

OVENS



UNDER COUNTER

UNDER COUNTER DOUBLE OVEN

Great in kitchens where space is limited, this slightly shorter double oven sits at eye level or neatly under the work top giving you the flexibility of two ovens.

ZOD580X





ZOU370X





ZOU270X



BUILT IN DOUBLE OVEN



ZOU270X







Stylish and elegant our modern square design shows off your stunning appliances to wonderful effect and is exceptionally easy to keep clean.

From both traditional and homely to modern and adventurous our innovative appliances will give your kitchen that leading edge with a finished look of real quality.

Our new larger full width grill / roasting pan makes grilling more practical for all your family needs and is great for roasting Sunday lunch.



A' Energy

Zanussi believe that with fantastic cooking performance should also come great efficiency. That's why not only are all our single ovens 'A' energy rated but we developed an industry first range of built in and built under double ovens with 'A' energy in both cavities, helping you to help the environment and your pocket.



Fingerprint proof stainless steel

Zanussi ovens feature a special clear lacquer finish which means even in the busiest kitchens our oven stays free from messy finger marks.



Auto cook

Ideal if you want to come home to a hot meal, some of our cookers have a fully programmable timer which can cook your food and automatically switch off when you tell it too, giving you more time to relax.



Cooler to touch

For added safety our cooker doors are air cooled reducing the external touch temperature.

PYROLYTIC CLEANING THE ULTIMATE IN CONVENIENCE



ZYB594

Multifunction cooking options



Thermaflow®

Imagine the convenience of being able to cook your main meal, pudding and garlic bread at the same time. The clever placement of the fan ensures no transfer of flavour or taste from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.



Conventional

Great for one shelf cooking. This oven is hotter at the top and cooler at the bottom



Pizza oven

Bring Italy to your home, creating delicious Italian style pizzas with crisp bases and moist melted toppings every time. Not limited to pizzas, this oven will also give wonderful results for flans and quiches.



Thermal grilling

Relax at the weekend with a hassle-free traditional all day breakfast. Thermal grilling uses the fan and grill to cook all your food at once without needing to turn it, saving you time!



Grilling

Cook large or small portions in a healthy and convenient way with the full or economy grill setting.



Top heat

For a mouth-watering finish to foods like lemon meringue and shepherds pie, top heat browns gently for great results.



Bottom heat

Great for re-heating pies and pasties, bottom heat keeps the base crispy. At low temperatures, it's ideal for plate warming too.



Defros

So gentle it doesn't even melt cream, delicate foods like gateau can be defrosted in half the time!

MULTI-FUNCTION

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefit of fan and conventional ovens with additional functions like pizza and thermal grilling. Experiment and get the best results for all your different recipes and dishes.

SINGLE OVENS













Cleans itself

Imagine an oven that cleans itself! At the touch of a button Zanussi's pyrolytic oven cleans itself, leaving behind only a fine ash, which can be simply wiped away.

Multifunction oven

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional ovens for added flexibility.

Fully programmable oven timer

Thermaflow® fan cooking, saving you time

Features

- Simple push button digital controls with large display

- Multifunction oven, including pizza oven and thermal grilling

- Defrost
- Full variable grill
- Fast heat up function

Oven features:

- Air cooled quadruple glazed doors
- 2 oven shelves
- Bright oven light
- Child lock for added safety
- Please ensure you always grill with the oven door closed

16

Colour Options

ZYB594X Stainless Steel

For installation diagrams see page 41

Removable Glass Panes We all know the most hated job in the kitchen is cleaning the oven with one of the hardest parts cleaning the glass doors. That's why most of our ovens have removable glass panes.

ZOB690X













For heat in a hurry

Fast heat up so you don't have to worry about pre-heating, saving time.

Multifunction oven

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional ovens for added flexibility.

Heat activated Catalytic liners, a great help with cleaning

Thermaflow® fan cooking, saving you time

Features

- Simple push button digital controls with large display
- Multifunction oven, including pizza oven and thermal grilling
- Defrost
- Full variable grill
- Economy variable grill

Oven features:

- Fully programmable oven timer
- 2 oven shelves
- Child lock for added safety
- Air cooled triple glazed door
- Please ensure you always grill with the oven door closed

17

Colour Options

ZOB690X Stainless Steel

For installation diagrams see page 41

SINGLE OVENS











Great versatility

Make cooking a more enjoyable part of your life with a multifunction oven, which combines the benefits of the fan and conventional ovens for added flexibility.

Thermaflow® fan cooking

Thermaflow® fan cooking, the clever placement of the fan ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, help you save time and

Heat activated Catalytic liners, a great help with cleaning

Features

- Retractable oven controls with LED display

Colour Options

ZOB580N Black

ZOB580X Stainless Steel

For installation diagrams see page 41

- Multifunction oven, including pizza oven and thermal grilling
- Defrost
- Full variable grill
- Economy variable grill

Oven features:

- Fully programmable oven timer
- 2 oven shelves
- Bright oven light
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed

ZOB551X













Thermaflow® fan operated cooking

The clever placement of the fan ensures no transfer of flavour or taste from one dish to another. Lower cooking temperature and shorter cooking times, helps you save time and money.

Features

- Retractable oven controls with LED display
- Defrost
- Economy variable grill

Oven features:

- Fully programmable oven timer
- 2 oven shelves
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed

Colour Options

ZOB551X Stainless Steel

For installation diagrams see page 41

ZOB330X













Clear 'n' Clean enamel

Clear 'n' Clean enamel makes it easier to clean those stubborn burnt-on spills.

Thermaflow® fan cooking, saving you time

Features

- Rotary oven controls
- Defrost

Oven features:

- Fully programmable oven timer
- 2 oven shelves
- Air cooled double glazed door
- Bright oven light
- Please ensure you always grill with the oven door closed

Colour Options


ZOB330X Stainless Steel ZOB330W White

For installation diagrams see page 41

ZOB23OX

SINGLE OVENS





With simple controls that give excellent results, this functional oven offers stress free food!

Thermaflow® fan cooking, saving you time

Features

- Rotary oven controls
- Defrost
- Variable grill

Oven features:

- Clean 'n' clear enamel interior
- 2 oven shelves
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed

Colour Options

ZOB230X Stainless Steel ZOB230W White ZOB230N Black

For installation diagrams see page 41

ZOB550XL/ZOB555XL



Easy access

The oven door is hinged on either the left or right hand side for your preference.

Multifunction oven

Heat activated Catalytic liners, a great help with cleaning

Features

- Rotary oven controls
- Defrost
- Full variable grill

Oven features:

- Fully programmable oven timer
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed

Colour and Door Options

ZOB550XL Stainless Steel, Left hand hinged door ZOB550WL White, Left hand hinged door ZOB555XL Stainless Steel, Right hand hinged door ZOB555WL White, Right hand hinged door

For installation diagrams see page 41

ZOB150X



20

Fuss-free cooking

With simple controls that give excellent results, this functional oven offers stress free food!

Conventional cooking

Features

- Rotary oven controls
- Full variable grill

Oven features:

- 2 oven shelves
- Clean 'n' clear enamel interior
- Air cooled double glazed door
- Please ensure you always grill with the oven door closed

Colour Options

ZOB150X Stainless Steel ZOB150W White

For installation diagrams see page 41

ZOB9900X

AJTO COOK D



Cook more at once

With an extra-wide cavity, this oven makes it easy to cook more at once.

Heat activated Catalytic liners, a great help with cleaning

Features

- Rotary oven controls
- Multifunction oven, including Pizza oven and Thermal grilling
- Defrost

Oven features:

- Fully programmable oven timer
- Air cooled double glazed door
- 2 oven shelves
- Please ensure you always grill with the oven door closed

Colour Options

ZOB9900X Stainless Steel

For installation diagrams see page 41

BUILT IN DOUBLE OVENS













Great versatility

Make cooking a more enjoyable part of your life with 2 multifunction ovens, which combine the benefits of fan and conventional cooking for added versatility.

Thermaflow® fan cooking

The clever placement of the fan ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Heat activated catalytic liners in both ovens, a great help with cleaning.

Features

- Simple touch button digital controls with LED display

Top oven:

- 7 top oven functions, including conventional cooking and variable grill

Main oven:

- 10 main oven functions, including pizza oven and thermal grilling

Oven features:

- Fully programmable main oven timer
- Full width grill / meat pan - Air cooled triple glazed doors
- Please ensure you always grill with the oven door closed

Colour Options

ZOD690X Stainless Steel

For installation diagrams see page 41

Touch button control This stunning Double Oven has digital touch button controls for both ovens, creating a clean, simple look and is really easy to use.













Thermaflow® fan cooking

The clever placement of the fan in the main oven ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Multifunction main oven that makes delicious result easy to achieve

Heat activated catalytic liners in both ovens, a great help with cleaning

Features

- Retractable oven controls with LED display

Top oven:

- 5 top oven functions, including conventional cooking and variable grill

Main oven:

- 7 main oven functions, including pizza oven and thermal grilling

Oven features:

- Fully programmable main oven timer
- Full width grill / meat pan
- Air cooled double glazed doors
- Please ensure you always grill with the oven door closed

Colour Options

ZOD580X Stainless Steel ZOD580N Black

For installation diagrams see page 41



BUILT IN / UNDER COUNTER DOUBLE OVENS











Built In Double Oven Extra Flexibility

Two cavities provides you with more space and gives you the option to bake and grill at the same time.

Thermaflow® fan cooking

The clever placement of the fan in the main ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Features

- Rotary oven controls

Top oven:

- 5 top oven functions, including conventional cooking and variable grill

Main oven:

- 2 main oven functions, including defrost

Oven features:

- Fully programmable main oven timer
- Clean 'n' clear enamel liners in both ovens
- Full width grill / meat pan
- Air cooled double glazed doors

Colour Options

For installation diagrams see page 41

Enamel liners

Enamel liners are designed to prevent food burning on making it easier for you to clean the cavity.

- Please ensure you always grill with the oven door closed

ZOD370X Stainless Steel ZOD370W White

a great help with cleaning

ZOU580X













Under Counter Double Oven Great versatility

Make cooking a more enjoyable part of your life with 2 multifunction ovens, which combine the benefits of fan and conventional cooking for added versatility.

Thermaflow® fan cooking

The clever placements of the fan ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Heat activated catalytic liners,

Features

- Retractable rotary controls with LED display

Top oven:

- 8 top oven functions, including conventional cooking and variable grilling

Main oven:

- 6 main oven functions, including pizza oven and thermal grilling

Oven features:

- Fully programmable main oven timer
- Full width grill / meat pan
- Air cooled double glazed doors
- Please ensure you always grill with the oven door closed

Colour Options

ZOU580X Stainless Steel

For installation diagrams see page 41

ZOU370X

UNDER COUNTER DOUBLE OVENS













Thermaflow® fan cooking

The clever placement of the fan in the main ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Heat activated catalytic liners in both ovens, a great help with cleaning.

Features

- Rotary oven controls

Top oven:

- 5 top oven functions, including conventional cooking and variable grill

Colour Options

ZOU370W White

ZOU370X Stainless Steel

For installation diagrams see page 41

Main oven:

 2 main oven functions, including defrost

Oven features:

- Fully programmable main oven timer
- Full width grill / meat pan
- Air cooled double glazed doors
- Please ensure you always grill with the oven door closed

26

ZOU270X













Extra flexibility

Two cavities provides you with more space and gives you the option to bake and grill at the same time.

Thermaflow® fan cooking

The clever placements of the fan ensures no transfer of flavour from one dish to another. Lower cooking temperatures and shorter cooking times, helps you save time and money.

Features

- Rotary oven controls

Top oven:

- 5 top oven functions, including conventional cooking and variable grill

Main oven:

 2 main oven functions, including defrost

Oven features:

- Fully programmable main oven timer
- Clean 'n' clear enamel liners in both ovens
- Full width grill / meat pan
- Air cooled double glazed doors

- Please ensure you always grill with the oven door closed

Colour Options

ZOU270X Stainless Steel

For installation diagrams see page 41

MICROWAVES DESIGNED FOR LIVING ZANUSSI



ZNF31X

Designed for living Zanussi . Microwaves are an invaluable asset in your kitchen. Fully built in and easy to install, no additional kit is required, our microwaves offer great flexibility.

Our modern stylish design in fingerprint proof stainless steel looks great when combined in column with a Zanussi oven

FLEXIBLE COOKING

Make cooking a more enjoyable part of your life with a combination microwave that combines the benefits of the fan cooking or grill with the speed of a microwave letting you cook quickly and brown at the same time to get the best results for all your different recipes and dishes.



AUTO

Auto programmes

Take the guesswork away with Zanussi's auto programmes designed to cook or defrost your food at the touch of a button.



Microwave

An invaluable asset in your kitchen a microwave cooks food quickly and safely, with low energy consumption saving you money.



Microwave and grill

Great for your Sunday breakfast or cheese on toast, the dual microwave and grill option offers traditional grilling and browning in a fraction of the usual time.



Combination microwave

Ideal for traditional baking and roasting, combining the microwave with a fan oven allows you to cook in half the time.



Thermaflow® fan cooking

The clever placement of the fan ensures no transfer of flavour or taste from one dish to another. Lower cooking temperatures and shorter cooking times helps you save time and money.



Gril

The efficiency of closed door grilling with all Zanussi microwaves allows you to cook large or small portions in a healthy and convenient way.

ZNF31X

MICROWAVES













Stylish, modern square design

Our modern square design with drop down door looks stylish in any setting but especially when combined, in column, with a Zanussi oven.

Extra large capacity

Extra large family sized microwave, giving you the added flexibility of being able to cook more at one

Combination microwave oven

5 auto defrost by weight programmes

1000W microwave with 5 power levels

Features

- Stainless Steel interior
- 24 hour digital clock with LED display and rotary controls

Colour Options

Fingerprint proof Stainless Steel

For installation diagrams see page 41

ZNF31X

- Drop down oven door
- 1500W grill
- Quick start microwave function
- Audible cooking end signal
- Internal halogen light
- Accessories include glass microwave dish, baking tray and grill rack

ZNF21X









Extra large capacity

Extra large family size microwave with grill, giving you the flexibility to cook more at one time.

Microwave oven and grill

Stylish, modern design

Features

- Stainless Steel interior
- 24 hour digital clock with LED display and rotary controls
- Drop down oven door
- 1500W grill
- Quick start microwave function
- Audible cooking end signal
- Internal halogen light
- Accessories include glass microwave dish and grill rack

Colour Options

Fingerprint proof Stainless Steel

For installation diagrams see page 41

ZNM11X











Cook food quickly

An invaluable asset in your kitchen, a microwave cooks food quickly and safely, with low energy consumption saving you money.

8 auto cook by weight programmes and 4 auto defrost by weight programmes

Features

- 24-hour digital clock with auto
- Quick start function at full power with 30 second intervals
- Child lock for safety
- Audible cooking end signal
- Internal light
- Easy clean interior
- Push button door opening

Colour Options

ZNM11X Fingerprint proof Stainless Steel ZNM11N Black

For installation diagrams see page 41

ZANUSSI COFFEE

ITALIAN ESPRESSO STYLE COFFEE AT HOME...



ZCOF637X

Bring out the Italian in you at home, with our stylish coffee machine. Providing delicious coffee everytime and designed to co-ordinate perfectly with your other Zanussi appliances.

Installed in-column on telescopic runners for ease of use, you'll love the simple sophistication, made especially for you.

FOR YOUR PREFERRED STYLE OF COFFEE

An endless supply of quality espresso, cappuccino or your preferred style of coffee. The machine has a hot water dispenser for long coffee drinks and a steam spout for frothy milk drinks too. Your choice at the touch of a button.



Coffee solutions

Designed to take coffee beans, pre-ground coffee or even the easy to use coffee pods, Zanussi lets you get the best out your favourite coffee every time.



Preferred style

Create an endless supply of espresso, cappuccino or your preferred coffee style at the touch of a button. The hot water dispenser is great for long coffee drinks or tea making and a steam spout is ideal for frothy milk drinks or that perfect cappuccino.



1-2 cup selection

Save time with Zanussi's unique 1-2 selection system that lets you make two cups in the same amount of time as one.

ZCOF637X + ZDRA600X

COFFEE MACHINES



Coffee with style

Bring out the Italian in you at home, with our stylish coffee machine. Providing delicious coffee everytime and designed to co-ordinate perfectly with your other Zanussi appliances.

Save time!

Save time with Zanussi unique 1-2 selection system that lets you make two cups in the same amount of time as one.

Preferred style

Coffee solutions

 $Simple\ sophistication$

Coffee Machine Features

- Halogen light
- Pre-programmed coffee dispenser
- Filter holder and choice of filters & spouts for 1 or 2 cups at a time
- Steam spout for cappuccino or hot chocolate
- Easy to clean with a soft cloth and accessories are dishwasher safe


Drawer Features

- Compartment for cups and saucers
- Compartment for machine accessories
- Dish for coffee dregs
- Serving tray
- Easily cleanable with a soft cloth
- Drawer liner and waste dish are dishwasher safe

For installation diagrams see page 33

COFFEE MACHINE MODEL NUMBER COFFEE MACHINE ZCOF637X ACCESSORY DRAWER ZDRA600X Technical Data Connected Load (kW) 1,07 10 Fuse Rating (Amps) 20W Haloger Working Pressure (Bar) 12 **Product Dimensions** Product Height (mm) 357 95 Product Width (mm) 594 594 Product Depth (mm) 260 465 17,6 Net weight (kg) 6,8 Built-in Dimensions Built-in height (mm) 450 450 563 563 Built-in width (mm) Built-in depth (mm) 600 600 Packaging dimensions 425 130 Height (mm) Width (mm) 663 640 338 535 Depth (mm) Gross Weight (kg) 19,0 8,0

ZCOF637 / ZDRA600



SINGLE OVENIC



















| ### PROGRAMMER Definition Department | | |
|--|----------------|-----------------|
| Thermal gilling | ZOB690X | ZOB580X/ZOB580 |
| Thermal guilling **Cornentional cooking **Praza setting **Booster **Booster **Booster **Booster **Cornentional cooking **Full width grill **Cornery grill **Booster **Cornery grill **Corner | | |
| Conventional cooking | * | * |
| Picza settling | * | * |
| Booster | * | * |
| Defrost | * | - |
| ### ### ### ### ### ### ### ### ### ## | * | - |
| Section meat - reheat | * | * |
| ### Bottom heat - reheat | * | * |
| ### ### ### ### ### ### ### ### ### ## | * | * |
| OVEN FEATURES Quadruple Oven doorfs) 1 x 15 Interior lights (Position) Back + Side Digital Flush Button Controls ★ Retractable Controls - Rotary controls - Digital display ★ Digital Temperature Control ★ Compact hinge ★ Cooling fan ★ Easy installation - side handles and stability feet ★ PROGRAMMER * Mechanical minute minder - CLEANING * **Catabytic lining / liners Easy deen enamed interior Fold down grill **Catabytic lining / liners Easy deen enamed interior Fold down grill Feduriners Optional Chrome auto-stop non-tip shelves 2 Grill pan and trivet ★ INTERNAL OVEN DIM. * Volume (usage) (litres) \$3 Height (mm) 335 Width (mm) 335 Depth (mm) 400 Ene | * | * |
| Oven door(s) Quadruple Interior lights (Watts) 1 x 15 Interior lights (Position) Back + Side I Digital Push Button Controls ★ Retractable Controls - Rokaday controls - Digital Impereture Control ★ Compact hinge ★ Cooling fan ★ Cooling fan ★ Rechanical minute minder - Cooling fan ★ Mechanical minute minder - Cooling fan ★ Celluly programmable electronic clock & minute minder - Cooling fan ★ Celluly programmable electronic clock & minute minder - Cooling fan ★ Cooling fan ★ Cooling fan ★ Cooling fan ★ Cooling fan Cooling fan Cooling fan Cooling fan Cool | | |
| Interior lights (Matts) Interior lights (Position) Interior lights (Position) Back + Side Interior lights (Position) Back + Side Digital Interior lights (Position) Sear | Triple | Double |
| Interior lights (Position) Back + Side | 1 x 15 | 1 x 15 |
| Digital Push Button Controls | Back + Side | Back + Side |
| Retractable Controls | * | - |
| Digital display | - | * |
| Digital Temperature Control | - | - |
| Compact hinge Cooling fan | * | - |
| Cooling fan ★ Eazy installation – side handles and stability feet ★ PROGRAMMER - Mechanical minute minder - Fully programmable electronic clock & minute minder ★ CLEANING - Pyrolytic oven cleaning 2) ★ Catalytic lining / liners Easy clean enamel interior Fold down grill EegulPMENT SUPPLIED Telescopic runners Optional Chrome grid runners ↑ Chrome grid runners 2 Chrome grid runners ↑ William (Losage) (litres) ↑ Wolume (Lsage) (litres) ↑ Wolume (Lsage) (litres) ↑ Woll (Lsage) (litres) ↑ Woll (Lsage) (litres) ↑ Depth (mm) ↑ Depth (mm) ↑ | * | - |
| Easy installation - side handles and stability feet **PROGRAMMER **ROGRAMMER **CLEANING **CLEANING **CLEANING **Pyroty to oven cleaning 2) **Catalytic lining / liners Easy clean enamel interior Fold down grill **Equipment Supplied | * | * |
| PROGRAMMER A Mechanical minute minder → CILEANING ★ CLEANING → Catalytic oven cleaning 2) ★ Catalytic lining / liners Easy clean enamel interior Fold down grill Easy clean enamel interior Fold down grill Coptional Chrome grid runners Optional Chrome grid runners ↑ Chrome grid runners 2 Chrome auto-stop non-tip shelves 2 Grill pan and trivet ★ INTERNAL OVEN DIM. Volume (usage) (litres) Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION 400 Energy efficiency class in mode (Static/Fan) F Cookitime standard load static (minutes) 4 Energy efficiency class in mode (Static/Fan) F Cookitime standard load fan (minutes) 41 Energy consumption fan (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 Energy consumption fan (kW/h) <td>*</td> <td>*</td> | * | * |
| Mechanical minute minder | * | * |
| Fully programmable electronic clock & minute minder CLEANING Pyrolytic oven cleaning 2) Catalytic lining / liners Colorme auto-stop non-tip shelves Carill pan and trivet ** INTERNAL OVEN DIM. Volume (usage) (litres) S3 Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) Cenergy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) Conyseter load (kW/h) Conyseter load (kW/h) Conyseter load (kW/h) Coven/Grill power (max) (kW) 2,5 Fuse rating (A) Conven/Grill power (max) (kW) 2,5 APPLIANCE DIMENSIONS Height x Width x Depth (mm) S90 x 594 x 560 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 550 S9 PACKAGING DIMENSIONS Height x Width x Depth (mm) S93 x 560 x 650 S6 S6 S6FETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | | |
| Catalytic lining / liners Eazy clean enamel interior Fold down grill EQUIPMENT SUPPLIED Telescopic runners Optional Chrome grid runners ★ Chrome grid runners 2 Grill pan and trivet ★ INTERNAL OVEN DIM. S3 Volume (usage) (litres) 53 Height (mm) 395 Depth (mm) 400 ENERGY INFORMATION 30 - 250 Senergy class in mode (Static/Fan) F Cooktime standard load static (minutes) A Energy efficiency class in mode (Static/Fan) F Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 Energy consumption fan (kW/h) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS 59 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS 59 Heightx X | - | - |
| Pyrolytic oven cleaning 2) ★ Catalytic lining / liners Easy clean enamel Interior Fold down grill EQUIPMENT SUPPLIED Telescopic runners Optional Chrome grid runners | * | * |
| Catalytic lining / liners Easy clean enamel interior Fold down grill EQUIPMENT SUPPLIED Telescopic runners Chrome grid runners Chrome auto-stop non-tip shelves Grill pan and trivet INTERNAL OVEN DIM. Volume (usage) (litres) Height (mm) Depth (mm) Sobre (mm) Fold (mm) Sobre (mm) Fold (mm) Sobre (mm) Sobre (mm) Fold (mm) Sobre (mm) Fold (| | _ |
| Easy clean enamel interior Fold down grill EQUIPMENT SUPPLIED Telescopic runners Chrome grid runners Chrome grid runners Chrome auto-stop non-tip shelves 2 Grill pan and trivet ** INTERNAL OVEN DIM. Volume (usage) (litres) Height (mm) 335 Width (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) Energy class A Energy efficiency class in mode (Static/Fan) Energy efficiency class in mode (Static/Fan) Energy efficiency class in mode (Static/Fan) Energy consumption static (kW/h) Cooktime standard load static (minutes) 41 Energy consumption fran (kW/h) Energy consumption fran (kW/h) Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | * | * |
| Fold down grill EQUIPMENT SUPPLIED Telescopic runners Chrome grid runners Chrome auto-stop non-tip shelves Grill pan and trivet INTERNAL OVEN DIM. Volume (usage) (litres) Height (mm) Height (mm) Height (mm) Height (mm) Height (mm) House (PC) Henery (PC) | | - |
| EQUIPMENT SUPPLIED Telescopic runners Chrome grid runners Chrome auto-stop non-tip shelves Chrome supplies Chrome stop Chrome (usage) (litres) Chrome says Says Says Says Says Says Says Says | * | * |
| Telescopic runners ★ Chrome grid runners ★ Chrome auto-stop non-tip shelves 2 Grill pan and trivet ★ INTERNAL OVEN DIM. Volume (usage) (litres) 53 Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION TO Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cookitime standard load static (minutes) 43 Cookitime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 Energy consumption fan (kW/h) 2,5 Energy consumption fan (kW/h) 2,5 Energy consumption fan (kW/h) 3 Oven/Grill power (max) (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 35,5 APPLIANCE DIMENSIONS 9 Net weight (Kg) 35,5 | | |
| Chrome auto-stop non-tip shelves 2 Grill pan and trivet ★ INTERNAL OVEN DIM. S3 Volume (usage) (litres) 53 Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION TO Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION 2,5 Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS 59 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS 59 Height x Width x Depth (mm) 660 x 630 x 660 66 AFETTY AND INTERFERENCE SUPPRESSION ★ | Optional | Optional |
| ### Filter ### | * | * |
| Note | 2 | 2 |
| Volume (usage) (litres) 53 Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) 30 - 250 Energy glass A Energy class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION 2,5 Connected load (kW) 2,5 Fuser rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS 59 Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APETURE DIMENSIONS 1) 59 Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION * Low Voltage Directive (LVD) * | * | * |
| Height (mm) 335 Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuser rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | | |
| Width (mm) 395 Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 53 | 53 |
| Depth (mm) 400 ENERGY INFORMATION Oven temperature range (°C) 30 - 250 Energy class A Energy class (mode (Static/Fan)) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS 59 Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ | 335 | 335 |
| ENERGY INFORMATION Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 395 | 395 |
| Oven temperature range (°C) 30 - 250 Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION 0,79 Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS 35,5 Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) 593 x 560 x 550 59 PackAGING DIMENSIONS 4 Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION ★ Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) ★ | 400 | 400 |
| Energy class A Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2.55/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | | |
| Energy efficiency class in mode (Static/Fan) F Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 30 - 250 | 50-250 |
| Cooktime standard load static (minutes) 43 Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,52,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (IVD) ★ Electromagnetic Compatibility (EMC) ★ | А | А |
| Cooktime standard load fan (minutes) 41 Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APETURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) ★ | F | F |
| Energy consumption static (kW/h) 0,79 Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuser ating (A) 13 Oven/Grill power (max) (kW) 2,5/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 43 | 43 |
| Energy consumption fan (kW/h) 0,79 ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2,45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 41 | 41 |
| ELECTRICAL CONNECTION Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2.5/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (IVD) ★ Electromagnetic Compatibility (EMC) | 0,79 | 0,79 |
| Connected load (kW) 2,5 Fuse rating (A) 13 Oven/Grill power (max) (kW) 2,5/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 0,79 | 0,79 |
| Fuse rating (A) 13 Oven/Grill power (max) (kW) 2.5/2.45 APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) | 2,5 | 2,5 |
| Oven/Grill power (max) (kW) 2.5/2.45 APPLIANCE DIMENSIONS 590 x 594 x 560 59 Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (kg) 35,5 APERTURE DIMENSIONS 1) 593 x 560 x 550 59 Pack Kaging DIMENSIONS 59 Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION ★ Low Voltage Directive (IVD) ★ Electromagnetic Compatibility (EMC) ★ | 13 | 2,5 |
| APPLIANCE DIMENSIONS Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 2.5/2.45 | 2.5/2.45 |
| Height x Width x Depth (mm) 590 x 594 x 560 59 Net weight (Kg) 35,5 APERTURE DIMENSIONS 1) Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | 2.57 2.75 | 2.3/ 2.73 |
| Net weight (kg) 35,5 APERTURE DIMENSIONS 1) 593 x 560 x 550 59 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS 59 Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION ★ Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) ★ | 90 x 594 x 560 | 590 x 594 x 560 |
| APERTURE DIMENSIONS 1) 593 x 560 x 550 59 Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS 59 Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION ★ Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) ★ | 33,2 | 29,9 |
| Height x Width x Depth (mm) 593 x 560 x 550 59 PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) ★ Electromagnetic Compatibility (EMC) | ,- | 23,5 |
| PACKAGING DIMENSIONS Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) Electromagnetic Compatibility (EMC) | 93 x 560 x 550 | 593 x 560 x 550 |
| Height x Width x Depth (mm) 660 x 630 x 660 66 Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION ★ Low Voltage Directive (IVD) ★ Electromagnetic Compatibility (EMC) ★ | | |
| Gross weight (Kg) 38,9 SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (LVD) Electromagnetic Compatibility (EMC) | 60 x 630 x 660 | 660 x 630 x 660 |
| SAFETY AND INTERFERENCE SUPPRESSION Low Voltage Directive (IVD) Electromagnetic Compatibility (EMC) | 34,7 | 31,4 |
| Electromagnetic Compatibility (EMC) | | |
| | * | * |
| LIEDATURE CURRULED | * | * |
| LIERATURE SUPPLIED Operation and installation instructions ★ | | |

| ZORSON Z | | 7 | | | EM, | |
|--|-----------------|-----------------|----------------------------|-------------------|--|-----------------|
| * * * * * * * * * * * * * * * * * | ZOB551X | ZOB330W/ZOB330X | ZOB230W/ZOB230N ZOB230X | ZOBISOW / ZOBISOX | ZOB550WL/ZOB550XL ZOB555WL/ZOB555XL | ZOB9900X |
| * * * * * * * * * * * * * * * * * | | | _ | | _ | |
| * * * * * * * * * * * * * * * * * * * | | | | | | |
| * * * * * * * * * * * * * * * * * * * | | - | - | | | |
| # # # # # # # # # # # # # # # # # # # | - | - | - | | - | * |
| * | - | - | - | - | - | - |
| # # # Double Double Double Double Triple 1x15 | | * | * | | | |
| Double Double Double Double Triple | | | | | | |
| Double | | | | | | |
| Double Double Double Triple Triple Tx Tx Tx Tx Tx Tx Tx T | | | | | | |
| 1x15 | | | | | | |
| Back + Side Back + Side Back + Side Back + Side Back and side | Double | Double | Double | Double | Double | Triple |
| * | 1 x 15 | 1 x 15 | 1 x 15 | 1 x 15 | 1 x 15 | 1 x 15 |
| * | | | | | | |
| - | | | | | | |
| * * * * * * * * * * * * * * * * * * * | | | | | | |
| * * * * * * * * * * * * * * * * * * * | | | | | | |
| * * * * * * * * * * * * * * * * * * * | | | | | | |
| ★ ★ ★ - | | | | | | |
| * * * * * * * * * * * * * * * * * * * | * | * | * | * | * | * |
| ★ ★ - - ★ ★ - | * | * | * | * | * | - |
| ★ ★ - - ★ ★ - | | | | | | |
| * * * * * - * * * * * * * | | | | | | |
| ★ - - + + - * * - - We planted Moulded Moulded * - * Moulded Moulded * * 2 2 2 2 2 2 1 * * * * * * 53 54 54 56 53 66 335 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A F F F F F F F 43 43 43 43 43 43 43 44 41 41 | * | * | - | - | * | * |
| ★ - - + + - * * - - We planted Moulded Moulded * - * Moulded Moulded * * 2 2 2 2 2 2 1 * * * * * * 53 54 54 56 53 66 335 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A F F F F F F F 43 43 43 43 43 43 43 44 41 41 | _ | _ | - | _ | _ | _ |
| - ★ - | | | | | | |
| Optional - | | * | * | * | | |
| ★ Moulded Moulded ★ ★ 2 2 2 2 2 1 ★ ★ ★ ★ ★ ★ 53 54 54 56 53 66 3355 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A A F A A <td< td=""><td>*</td><td>-</td><td>-</td><td>-</td><td>*</td><td>-</td></td<> | * | - | - | - | * | - |
| ★ Moulded Moulded ★ ★ 2 2 2 2 2 1 ★ ★ ★ ★ ★ ★ 53 54 54 56 53 66 3355 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A A F A A <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td></td<> | | | | | | |
| 2 2 2 2 2 1 ★ ★ ★ ★ ★ 53 54 54 56 53 66 335 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A A F F F F F F F F F 43 43 43 43 43 43 46 41 50 60,79 0,79 0,79 0,79 1,15 70,79 0,79 1,02 70,79 0,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 1,02 70,79 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| ★ ★ ★ ★ ★ 53 54 54 56 53 66 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A F F F F F F F F 43 43 43 43 43 43 46 41 50 0,79 0,79 0,79 1,15 0,79 0,79 1,15 0,79 1,02 0,79 1,02 1,15 0,79 1,02 1,02 2,5 2,5 2,9 1 1,3 13 13 13 13 13 13 13 13 13 13 13 13 13 | | | | | | |
| 53 54 54 56 53 66 335 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A F F F F F F F 43 43 43 43 43 46 41 50 0,79 0,79 0,79 1,15 0,79 0,79 1,15 0,79 0,79 1,102 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 1,02 0,79 0,79 1,02 0,79 0,79 0,79 0,79 0,79 | | | | | | |
| 335 335 335 335 320 395 405 405 405 395 560 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 50-250 A A A A A A A F F F F F F F 43 43 43 43 43 46 41 50 0,79 0,79 0,79 0,79 1,15 0,79 0,79 0,79 1,15 0,79 0,79 1,02 103 13 13 13 13 | | | | | | |
| 395 | 53 | 54 | 54 | 56 | 53 | 66 |
| 400 400 400 410 400 380 50-250 50-250 50-250 50-250 50-250 A A A A A A F F F F F F F 43 43 43 43 43 46 41 41 41 N/A 41 50 0,79 0,79 0,79 0,79 0,79 1,15 0,79 0,79 0,79 0,79 1,02 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2,1/2,45 2,1/1.65 2,1/1.65 2,5/2.45 2,5/2.45 2,5/2.45 2,9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 2,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 <td< td=""><td>335</td><td>335</td><td>335</td><td>335</td><td>335</td><td>320</td></td<> | 335 | 335 | 335 | 335 | 335 | 320 |
| 50-250 50-250 50-250 50-250 50-250 50-250 A < | | | | | | |
| A B F G C C C C C C C D C D | 400 | 400 | 400 | 410 | 400 | 380 |
| A B F G C | 50.250 | F0 2F0 | 50.250 | E0 2E0 | FO 2FO | 50.250 |
| F F F S F F 43 43 43 43 43 46 41 41 41 N/A 41 50 0,79 0,79 0,79 0,79 0,79 1,15 0,79 0,79 0,79 N/A 0,79 1,02 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2,1/2.45 2,1/1.65 2,1/1.65 2,5/2.45 2,5/2.45 2,5/2.45 2,9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 580x980x672 31 29,3 29,8 27,8 33,3 64,2 ★ ★ ★ ★ ★ <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| 41 41 41 N/A 41 50 0,79 0,79 0,79 0,79 0,79 1,15 0,79 0,79 0,79 N/A 0,79 1,02 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2,1/2,45 2,1/1,65 2,1/1,65 2,5/2,45 2,5/2,45 2,9/2,8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * * | | | | | | |
| 0,79 0,79 0,79 0,79 0,79 1,15 0,79 0,79 0,79 N/A 0,79 1,02 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2.1/2.45 2.1/1.65 2.1/1.65 2.5/2.45 2.5/2.45 2.9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ | | | | | | |
| 0,79 0,79 0,79 N/A 0,79 1,02 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2,1/2,45 2,1/1,65 2,1/1,65 2,5/2,45 2,5/2,45 2,9/2,8 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * * | 41 | 41 | 41 | N/A | 41 | 50 |
| 2,5 2,1 2,1 2,5 2,5 2,9 13 13 13 13 13 13 2,1/2,45 2,1/1,65 2,1/1,65 2,5/2,45 2,5/2,45 2,9/2,8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * | | | | | | |
| 13 13 13 13 13 13 13 13 13 13 2.9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * | 0,79 | 0,79 | 0,79 | N/A | 0,79 | 1,02 |
| 13 13 13 13 13 13 13 13 13 13 2.9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * | 2.5 | 2.1 | 2.1 | 25 | 2 - | 2.0 |
| 2.1/2.45 2.1/1.65 2.1/1.65 2.5/2.45 2.5/2.45 2.9/2.8 590x594x560 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * | | | | | | |
| 590x594x560 590x594x560 590x594x560 590x594x560 474x894x545 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * | | | | | | |
| 29,5 27,6 28,3 26,3 31,8 59,2 593x560x550 593x560x550 593x560x550 593x560x550 593x560x550 460x860x550 660x630x670 660x630x670 660x630x670 660x630x670 660x630x670 580x980x672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * | 2.0.2.40 | 2 1.00 | | , | 2.07 2. 10 | 2.5 / 2.0 |
| 593 x 560 x 550 460 x 860 x 550 660 x 630 x 670 580 x 980 x 672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * | 590 x 594 x 560 | 590 x 594 x 560 | 590 x 594 x 560 | 590 x 594 x 560 | 590 x 594 x 560 | 474 x 894 x 545 |
| 660×630×670 660×630×670 660×630×670 660×630×670 580×980×672 31 29,3 29,8 27,8 33,3 64,2 * * * * * * * * * * * * * * * * * * | | | 28,3 | | 31,8 | 59,2 |
| 31 29,3 29,8 27,8 33,3 64,2 ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ | 593 x 560 x 550 | 593×560×550 | 593 x 560 x 550 | 593 x 560 x 550 | 593 x 560 x 550 | 460 x 860 x 550 |
| 31 29,3 29,8 27,8 33,3 64,2 ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ | | | | | | |
| * * * * * * * * | | | | | | |
| * * * * * * * | 31 | 29,3 | 29,8 | 27,8 | 33,3 | 64,2 |
| * * * * * * * | | • | • | • | • | |
| | | | | | | |
| * * * * * | | | | | | |
| | * | * | * | * | * | * |

1) Refer to user instructions before cutting out. 2) 5.0 kW/hr.

DOUBLE OVENS







| C V EI (C | _ | _ | _ |
|--|-----------------|-----------------|-----------------|
| MODEL | ZOD690X | ZOD580X/ZOD580N | ZOD370X/ZOD370W |
| OVEN FUNCTIONS (t=top, m=main) | t/m | t/m | t/m |
| Thermaflow® fan operated cooking | */* | /★ | /★ |
| Thermal grilling | /* | /★ | - |
| Conventional cooking | */ * | ★/★ | */ |
| Pizza setting | /★ | - | - |
| Defrost | */* | /★ | /★ |
| 80° Keep warm | */* | - | - |
| Full width grill | */* | */ * | */ |
| Economy grill | ★/★ | */* | */ |
| Bottom heat | */* | */* | */ |
| Top heat browning | - | */ | */ |
| Slow cooking | /★ | | |
| OVEN FEATURES | | | |
| Oven door(s) | Triple | Double | Double |
| Interior lights (Watts) | 1x25 / 1x40 | 2 x 25 | 2 x 25 |
| Interior lights (Position) | Back / Side | Back | Back |
| Digital Push Button Controls | * | - | - |
| Retractable Controls | - | * | - |
| Rotary Controls | - | - | * |
| Digital display | * | - | - |
| Digital Temperature Control | * | - | - |
| Compact hinge | * | * | * |
| Cooling fan | * | * | * |
| PROGRAMMER | м. | 14. | M . |
| Fully programmable electronic clock & minute minder | Main | Main | Main |
| CLEANING Catalysis Indiana (Ilmana) | ± / ± | ± / ± | |
| Catalytic lining / liners Easy clean enamel interior | */* - | ★/★ - | <u>-</u> ★/★ |
| • | - | - | |
| Fold down grill EQUIPMENT SUPPLIED | - | - | Тор |
| Chrome grid runners | * | * | * |
| Chrome auto-stop non-tip shelves | 1/2 | 1/2 | 1/2 |
| Grill pan, trivet | 17∠ | ± 172 | ± 172 |
| INTERNAL OVEN DIM. (t=top, m-main) | | | |
| Volume (usage) (litres) | 35 / 56 | 35/56 | 35 / 56 |
| Height (mm) | 208 / 338 | 208 / 338 | 208 / 338 |
| Width (mm) | 400 / 400 | 400 / 400 | 400 / 400 |
| Depth (mm) | 415 / 415 | 441 / 415 | 441 / 415 |
| ENERGY INFORMATION | | | |
| Oven temperature range (°C) | 50-250 | 50-250 | 50-250 |
| Energy class | A / A | A / A | A/A |
| Energy efficiency class in mode (Static/Fan) | F/F | F/F | S/F |
| Cooktime standard load static (minutes) | 50 / 46 | 52 / 49 | 52/NA |
| Cooktime standard load fan (minutes) | 49 / 44 | NA / 44 | NA/44 |
| Energy consumption static (kW/h) | 0.87 / 0.92 | 0.79 / 0.88 | 0.79 / NA |
| Energy consumption fan (kW/h) | 0.79 / 0.79 | NA / 0.79 | NA / 0.79 |
| Standby power (W) | 0.7 / 0.6 | 1.3 / 1.3 | 1.3 / 1.3 |
| ELECTRICAL CONNECTION | | | |
| Connected load (kW) | 6,2 | 5,3 | 4,3 |
| Fuse rating (A) | 30 | 30 | 30 |
| Grill power (max) (kW) | 2.3/2.9 | 2.3/2.9 | 2.3/NA |
| Oven power (max) (kW) | 2.38/3.0 | 2.35/3.0 | 2.35/1.98 |
| APPLIANCE DIMENSIONS | | | |
| Height x Width x Depth (mm) | 888 x 594 x 548 | 888 x 594 x 548 | 888 x 594 x 548 |
| Net weight (Kg) | 45 | 43 | 43 |
| APERTURE DIMENSIONS 1) | | | |
| Height x Width x Depth (mm) | 875 x 560 x 550 | 875 x 560 x 550 | 875 x 560 x 550 |
| PACKAGING DIMENSIONS | | | |
| Height x Width x Depth (mm) | 965 x 660 x 705 | 965 x 660 x 705 | 965 x 660 x 705 |
| Gross weight (Kg) | 50 | 48 | 48 |
| SAFETY AND INTERFERENCE SUPPRESSION | | | |
| Low Voltage Directive (LVD) | * | * | * |
| Electromagnetic Compatibility (EMC) | * | * | * |
| LIERATURE SUPPLIED | | | |
| Operation and installation instructions | * | * | * |

UNDERCOUNTER OVENS







| OVENS | | | |
|---|-----------------|-----------------|-----------------|
| MODEL | ZOU580X | ZOUB70X/ZOUB70W | ZOU270X |
| OVEN FUNCTIONS (t=top, m=main) | t/m | ZOU370N t/m | t/m |
| Thermaflow® fan operated cooking | */* | /★ | /* |
| Thermal grilling | */* | - | - |
| Conventional cooking | * / | */ | * / |
| Pizza setting | */* | - | - |
| Defrost | | /★ | /★ |
| 80° Keep warm | - | - | - |
| Full width grill | */* | * / | ★/ |
| Economy grill | */* | */ | */ |
| Bottom heat | */ | */ | */ |
| Top heat browning | */ | */ | */ |
| Slow cooking | | | |
| OVEN FEATURES Oven door(s) | Double | Double | Double |
| Interior lights (Watts) | 2x25 | 2 x 25 | 2 x 25 |
| Interior lights (Vocition) | Side / Side | Back | Back |
| Digital Push Button Controls | Side / Side | Dack | Dack - |
| Retractable Controls | * | <u> </u> | _ |
| Rotary Controls | - | * | * |
| Digital display | - | - | - |
| Digital Temperature Control | - | - | - |
| Compact hinge | * | * | * |
| Cooling fan | * | * | * |
| PROGRAMMER | | | |
| Fully programmable electronic clock & minute minder | Main | Main | Main |
| CLEANING | | | |
| Catalytic lining / liners | ★/★ | ★/★ | |
| Easy clean enamel interior | - | - | ★/★ |
| Fold down grill | - | - | Тор |
| EQUIPMENT SUPPLIED | | | |
| Chrome grid runners | * | * | * |
| Chrome auto-stop non-tip shelves | 1/2 | 1/2 | 1/2 |
| Grill pan, trivet | * | * | * |
| INTERNAL OVEN DIM. (t=top, m-main) | 05.440 | 07/10 | 07.400 |
| Volume (usage) (litres) | 35 / 40 | 37 / 40 | 37/39 |
| Height (mm) | 208 / 243 | 208 / 243 | 208 / 243 |
| Width (mm) | 400 / 400 | 400 / 400 | 400 / 400 |
| Depth (mm) ENERGY INFORMATION | 415 / 415 | 441 / 415 | 441 / 415 |
| Oven temperature range (°C) | 50-250 | 50-250 | 50-250 |
| Energy class | A/A | A / A | A/A |
| Energy efficiency class in mode (Static/Fan) | F/F | S/F | S/F |
| Cooktime standard load static (minutes) | 52 / N/A | 52 / NA | 52 / NA |
| Cooktime standard load fan (minutes) | 44 / 48 | NA / 48 | NA / 48 |
| Energy consumption static (kW/h) | 0.88 / N/A | 0.79 / NA | 0.79 / NA |
| Energy consumption fan (kW/h) | 0.79 / 0.79 | NA / 0.79 | NA / 0.82 |
| Standby power (W) | 1.3 / 1.3 | 1.3 / 1.3 | 1.3 / 1.3 |
| ELECTRICAL CONNECTION | | | |
| Connected load (kW) | 5,3 | 4,3 | 4,3 |
| Fuse rating (A) | 30 | 30 | 30 |
| Grill power (max) (kW) | 2.3/2.9 | 2.3/NA | 2.3/NA |
| Oven power (max) (kW) | 2.35/3.0 | 2.35/1.98 | 2.35/1.98 |
| APPLIANCE DIMENSIONS | | | |
| Height x Width x Depth (mm) | 715 x 594 x 548 | 715 x 594 x 548 | 715 x 594 x 548 |
| Net weight (Kg) | 41 | 39 | 38 |
| APERTURE DIMENSIONS 1) | | | |
| HeightxWidthxDepth (mm) | 870 x 600 x 560 | 870 x 600 x 560 | 870 x 600 x 560 |
| PACKAGING DIMENSIONS | | | |
| Height x Width x Depth (mm) | 805 x 660 x 705 | 805 x 660 x 705 | 805 x 660 x 705 |
| Gross weight (Kg) | 46 | 44 | 43 |
| SAFETY AND INTERFERENCE SUPPRESSION | | | |
| Low Voltage Directive (LVD) | * | * | * |
| Electromagnetic Compatibility (EMC) | * | * | * |
| LIERATURE SUPPLIED | | | |
| Operation and installation instructions | * | * | * |

1) Refer to user instructions before cutting out.



MICROWAVES MODEL NUMBER ZNF31X ZNF2IX ZNMIN ZNMIX Microwave Ovens Combi microwave, fan oven & grill * Microwave and grill Solo microwave Performance Microwave Output (IEC 705) (Watts) 1000 1000 900 Heating Category 1) Ε Ε Grill Output 1500 1500 Convection Oven Output 1600 Features Fully Built-In * * Under counter installation / In column installation Microwave Power Levels Hinged Grill Electronic Push Controls Control Knobs Electronic Clock / Programmer Programme End Signal Internal Light Child Lock **Cooking Modes** Microwave Grill Microwave & Grill Convection (Fan) Microwave & Convection Defrost Auto Defrost By Weight Programmes Auto Cook By Weight Programmes Quickstart * \star Technical Total Load Rating (Kw) 3,4 3,3 1,3 15 15 10 Fuse (A) **Product Dimensions** 38 38 Oven volume (gross) (litres) 26 Height x Width x Depth (mm) 455 x 594 x 542 455 x 594 x 542 460 x 592 x 437 Net weight (Kg) 35 32 18 Built in dimensions 2)

450 x 560 x 600


535 x 680 x 680


450 x 560 x 500

535 x 680 x 660

450 x 560 x 500


525 x 660 x 535






ZOB9900


ZOD370/ZOD580/ZOD690






ZOU270 / ZOU370 / ZOU580

ZNF21 / ZNF31



ZNM11



NOTES:

Height x Width x Depth (mm)

Packaging dimensions
Height x Width x Depth (mm)

Gross weight (Kg)

- 1) Heating category of the microwave in line with government guidelines.
- 2) Installation aperture dimensions, for full details refer to installation guidelines.





HOW DO YOU

LIKE EGGS IN THE MORNING?

Choosing a hob is very much a matter of personal preference and Zanussi offers a wide range in both gas and electric.

An electric hob can offer you much more sophistication making a real style statement in your kitchen creating a simple, flush, easy to clean finish - most have touch controls and on some you can even set the cooking times for individual zones. Flexible zones mean its easy to accommodate larger pans so that you don't have to juggle the dishes to get a big meal ready.


Gas is instant - turn up the flame for more heat, as simple as that. Our wok burners provide a high heat to ensure that your wok cooking is effortlessly prepared.

FEATURES AT YOUR FINGERTIPS.



INDUCTION

IMAGINE A HOB THAT COOKS FASTER THAN GAS.



ZIT64X

Create a clean flush finish in your kitchen with Zanussi's wide choice of electric hobs, with stainless steel frames that coordinate stylishly with our ovens and offer a host of features to make cooking more enjoyable.



Induction

Induction has all the benefits of easy to clean ceramic, together with the fastest, most responsive cooking, whether you are cooking pasta or melting chocolate. Induction works by creating a magnetic field between the hob and the saucepan-this means that the pan heats, not the hob so it's really safe to use and so easy to clean, the ultimate convenience in hob cooking.



Touch control

Welcome to the cutting edge of hob technology; many of Zanussi's hobs now feature electronic touch controls with digital displays which not only make the operation easier but will offer you a larger choice of power levels, giving you total control.



Timer

When time is of the essence, individual hob timers can be set so you know exactly when your food is cooked and dinner will be ready.



Safety

We understand the importance of safety within the kitchen which is why our models have residual heat warning when the hob is still hot. Some models also have a safety lock to prevent settings being changed.



Front controls

Great for left or right-handed cook's, front controls ensure great flexibility and are easy to use.

ZIT64X

INDUCTION HOBS













Induction technology

Imagine a hob that boils quicker than gas using the latest innovation. Induction hobs use clever technology to heat the food and not the hob - the fastest and most responsive cooking whether you're melting chocolate or cooking pasta, giving you more time to enjoy your food.

Touch controls

Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control.

Timer with auto switch-off

Features

- Wipe clean ceramic hob surface
- Power level digital display
- 4 induction zones
- Automatic heat up
- Residual heat indicators
- 99 minute timer with accoustic signal
- Child / user safety control lock

48

- Auto safety switch off

Colour Options

ZIT64X Stainless Steel Frame

For installation diagrams see page 64

Automatic heat up

Zanussi's clever automatic heat up function adds more power to each zone to help reach your selected temperature quicker, saving you time.

ZXE66X













Cook the way you want to

For complete cooking flexibility this hob has two induction zones and two ceramic zones

Touch controls

Electronic touch controls with digital displays make selection easier and offer a larger choice of power levels and control.

Timer with auto switch-off

Features

- Wipe clean ceramic hob surface
- Power level digital display
- 4 heat zones, 2 induction zones, 1 single fast zone, 1 dual fast zone
- Automatic heat up
- Residual heat indicators
- 99 minute timer with accoustic signal
- Child / user safety control lock
- Auto safety switch off

Colour Options

ZXE66X Stainless Steel Frame

For installation diagrams see page 64

Child safety locks

The majority of our touch control hobs have a child control safety lock preventing the heat settings from being changed accidently.

ZVT860X

CERAMIC HOBS













Easy to operate

Electronic touch controls with digital display not only make selection easier but also offer a larger choice of power levels and control.

Extra wide 80cm hob

Ideal for cooking with larger pots and pans, and combining a great working space in the middle.

Easy to use front controls

Easy to clean

- Wipe clean ceramic hob surface
- Power level digital display
- 4 heat zones, 1 dual fast zone, 2 single fast zones, 1 dual circuit oval zone
- Automatic heat up
- Residual heat indicators
- 99 minute timer with accoustic signal
- Child / user safety control lock

50

- Auto safety switch off

Colour Options

ZVT860X Stainless Steel Frame

For installation diagrams see page 64

Ceramic fast zones Our Ceramic fast zones reach full heat in under 5 seconds saving you time and money.



ZVT64X









Easy to use front controls

Great for left or right-handed cooks, front controls ensure total flexibility.

Easy to clean

The ceramic surface makes it easy to wipe clean

- Wipe clean ceramic hob surface
- Power level digital display
- 4 fast heat zones in 3 sizes
- Residual heat indicators
- Child / user safety control lock
- Auto safety switch off


Colour Options

ZVT64X Stainless Steel Frame

For installation diagrams see page 64


Residual heat indicators

We understand the importance of safety within the kitchen, that is why our models have residual heat indicators warning when the hob is still hot.



ZVM640F

ELECTRIC HOBS



Easy to control

Great for left or right-handed cooks, front controls ensure total flexibility.

Easy to clean

Residual heat indicators

Features

- Wipe clean ceramic hob surface
- 4 fast heat zones in 3 sizes
- 10 power levels

Colour Options

ZVM640F Frameless ZVM640X Stainless Steel Frame

For installation diagrams see page 64

ZBE603X



Easy to use front controls

Great for left or right-handed cooks, front controls ensure total flexibility.

Stylish one-piece hob surface for easy cleaning

Features

- 4 zones with red dot for faster heat up
- Power on light

Colour Options

ZBE603X Stainless Steel ZBE603W White

For installation diagrams see page 64

ZDK320X



Compact and Stylish

Stylish 2 zone ceramic hob ideal for smaller kitchens.

Easy to use front controls

Great for left or right-handed cooks, front controls ensure total flexibility.

Features

- Wipe clean ceramic hob surface
- Power on light

Colour Options

ZDK320X Stainless Steel Frame

For installation diagrams see page 64

ZDE32OX







Compact 2 zone hob

2 zone solid plate hob ideal for smaller kitchens.

Stylish one-piece hob surface for easy cleaning

Features


- Easy to use front controls
- Power on light
- 2 zones with 1 red dot for faster heat up

Colour Options

ZDE320X Stainless Steel

For installation diagrams see page 64

GAS ON GLASS FOR A CHIC CONTEMPORARY LOOK.



ZGG782CTX

For a modern take on the traditional classic Zanussi has a wide choice of styles in gas hobs.

From chic contemporary gas on glass to the more traditionally styled stainless steel, white or black.

Available in sizes up to 90cm, all of which will help enhance the style of your kitchen.



Wok cooking

Ideal for stir fries our wok burner provides a high heat to ensure all your wok cooking is effortlessly prepared.



75cm extra space

To enhance your cooking experience, Zanussi offers 75cm gas hobs giving you just a little bit more space with more than enough room for all your pans and for added convenience they fit into the same space as a 60cm hob.



Front controls

Ideally positioned at the front of the hob, the controls are easy to use and access, great for left to right handed cooks.



Automatic Ignition

For added convenience all our burners have automatic ignition, great for single handed operation. Simply push down on the dial and the flame comes on!



Safety

Zanussi knows how important peace of mind is to you, that's why all of our gas hobs have flame safety, meaning when the flame goes out the gas cuts off.

ZGG782CTX

GAS HOBS













Gas on glass hob

For a chic contemporary look this gas on glass hob will enhance the style of your kitchen.

Powerful wok burner

Ideal for stir fries our wok burners provides maximum heat to ensure all your wok cooking is effortlessly prepared.

Easy to reach front controls

Automatic integrated ignition

Safety gas cut off using thermocouples

Features

- 5 pureflame burners 1 wok, 1 rapid, 2 semi rapid and 1 simmer
- Easy clean ceramic surface
- 3 stylish cast iron pan supports
- LPG conversion kit included

Colour Options

ZGG782CTX Stainless steel frame and black glass

For installation diagrams see page 65

Pureflame burners

Zanussi hobs have Pureflame burners giving you an improved cooking performance.

ZGS782ICTX













75cm Wide 5 Wok burner hob

To enchance your cooking experience our 75cm wide hobs give you just a little but more space.

Wok burner ideal for stir fries

Features

- Fits standard 60cm cut out, can be used with 60cm cooker hood
- Stylishly one-piece hob surface for easy cleaning
- 5 pureflame burners 1 wok burner, 1 rapid, 2 semi rapid and 1 simmer
- 3 stylish cast iron pan supports
- Automatic integrated ignition
- Safety gas cut off using thermocouples
- LPG conversion kit included

Colour Options

ZGS782ICTX Stainless steel ZGS782ICTN Black

For installation diagrams see page 65

ZGS682ICTX













Powerful Wok Burner

Ideal for stir fries our wok burner provides a high heat to ensure all your wok cooking is effortlessly prepared.

Features

- Stylishly one-piece hob surface for easy cleaning
- 4 pureflame burners- 1 wok, 2 semi-rapid, 1 simmer
- 2 stylish cast iron pan supports
- Automatic integrated ignition
- Safety gas cut off using thermocouples
- LPG conversion kit included

Colour Options

ZGS682ICTX Stainless steel ZGS682ICTN Black

For installation diagrams see page 65

ZGF980ITX

GAS HOBS



Wok burner ideal for stir fries

90cm wide 6 burner hob

Easy to reach front controls

Features

- 1 rapid, 2 semi-rapid, 2 simmer
- 3 enamel pan supports
- Automatic integrated ignition
- Safety gas cut off using

Colour Options

- Stylishly one-piece hob surface for easy cleaning
- 6 pureflame burners 1 wok,

- thermocouples
- LPG conversion kit included

ZGF980ITX Stainless steel

For installation diagrams see page 65

ZGF640ITX



Front controls

Great for left or right-handed cooks, the front controls ensure total flexibility.

Automatic integrated ignition, great to single handed operation

Features

- Stylishly one-piece hob surface for easy cleaning
- 4 pureflame burners-1 rapid, 2 semi-rapid, 1 simmer
- 2 enamel pan supports
- LPG conversion kit included

Colour Options

ZGF640ITX Stainless steel

For installation diagrams see page 65











ZGF780ITX



To enhance your cooking experience our 75cm wide hobs give you just that little bit more space, ideal for wok cooking and more enough room for all your other pans too.

Wok burner ideal for stir fries

Easy to reach front controls

Features


- Fits standard 60cm cut out, can be used with 60cm cooker hood
- Stylishly one-piece hob surface for easy cleaning
- 5 pureflame burners 1 ultra rapid triple crown, 1 rapid, 2 semi rapid and 1 simmer
- 3 enamel pan supports
- Automatic integrated ignition
- Safety gas cut offusing thermocouples
- LPG conversion kit included

Colour Options

ZGF780ITX Stainless steel

For installation diagrams see page 65

ZGL62ITW







Easy to clean

Stylish one-piece hob surface for easy cleaning.

Automatic integrated ignition, great to single handed operation

Features

- Easy grip side controls
- 4 pureflame burners-1 rapid, 2 semi-rapid, 1 simmer
- 2 enamel pan supports
- LPG conversion kit included

Colour Options

ZGL621ITX Stainless steel ZGL621ITW White

For installation diagrams see page 65











58

| ELECTRIC | | | |
|---|-----------|--|----------|
| HOBS | | | |
| MODEL | ZIT64X | ZXE66X | ZVT860X |
| HOB FEATURES | | | |
| Number of cooking zones | 4 | 4 | 4 |
| Control position | Front | Front | Front |
| Control type | Touch | Touch | Touch |
| Residual heat/Hob on indicator | * | * | * |
| Electronic timer | * | * | * |
| Child lock | * | * | * |
| Auto cut-off | * | * | * |
| No of booster zones | 2 | 1 | |
| Automatic heat up | - | * | * |
| Pot sensors | * | * | |
| ZONE SPECIFICATION | | | |
| Front left spec 2) | I | I | F-D |
| Front left rating 3) (kW) | 2.2 - 3.7 | 2.2 / 3.1 | 0.75/2.2 |
| Front left diameter (mm) | 210 | 210 | 120/210 |
| Front right spec 2) | I | F | F |
| Front right rating 3) (kW) | 1.4 - 2.5 | 1,2 | 1,2 |
| Front right diameter (mm) | 145 | 145 | 145 |
| Rear left spec 2) | I | I | F |
| Rear left rating 3) (kW) | 1,8 | 1,4 | 1,2 |
| Rear left diameter (mm) | 180 | 145 | 145 |
| Rear right spec 2) | 1 | F-D | F-O |
| Rear right rating 3) (kW) | 1,8 | 0.7 / 1.7 | 1.5/2.4 |
| Rear right diameter (mm) | 180 | 120 / 180 | 170/265 |
| Middle left spec 2) | | | |
| Middle left rating 3) (kW) | | | |
| Middle left diameter (mm) | | | |
| Middle right spec 2) | | | |
| Middle right rating 3) (kW) | | | |
| Middle right diameter (mm) | | | |
| ELECTRICAL CONNECTION | | | |
| Total rating (max.) (kW) | 7,4 | 6,5 | 7 |
| Fuse rating (A) | 30 | 30 | 30 |
| APPLIANCE DIMENSIONS | | | |
| Height (above worktop) (mm) | 4 | 4 | 4 |
| Width (mm) | 576 | 570 | 766 |
| Depth (mm) | 506 | 500 | 506 |
| Net Weight (Kg) | 10,84 | 10,6 | 9,2 |
| APERTURE DIMENSIONS 1) | | | |
| Height (mm) | 55 | 55 | 38 |
| Width (mm) | 560 | 560 | 750 |
| Depth (mm) | 490 | 490 | 490 |
| PACKAGING DIMENSIONS | | | |
| Height (mm) | 118 | 115 | 118 |
| Width (mm) | 678 | 745 | 868 |
| Depth (mm) | 600 | 575 | 600 |
| Gross Weight (Kg) | 11,94 | 11,3 | 10,6 |
| SAFETY AND INTERFERENCE SUPPRESSION | | | |
| | | and the second s | |
| Low Voltage Directive (LVD) | * | * | * |
| Low Voltage Directive (LVD) Electromagnetic Compatability (EMC) LITERATURE SUPPLIED | * | * | * |

| | 00.171 | 00.00 | | | |
|--------|-----------|-----------|-------------------|---------|---------|
| ZVT64X | ZVM64OX | ZVM640F | ZBE603W/ZBE603X | ZDK320X | ZDE320X |
| ZVIOTA | ZVIVIOTOA | ZVIVIOTOF | ZDEOUSW / ZDEOUSA | ZDK32UA | ZDESZUA |
| 4 | 4 | 4 | 4 | 2 | 2 |
| Front | Front | Front | Front | Front | Front |
| Touch | Rotary | Rotary | Rotary | Rotary | Rotary |
| * | * | * | = | | |
| | - | - | - | | |
| * | - | - | - | | |
| * | * | _ | _ | | |
| - | - | - | - | | |
| - | _ | - | - | | |
| - | - | - | - | | |
| | | | | | |
| F | F | F | FSP | | |
| 2,3 | 2,3 | 1,8 | 1,5 | | |
| 210 | 210 | 180 | 145 | | |
| F | F | F | FSP | | |
| 1,2 | 1,2 | 1,2 | 1,5 | | |
| 145 | 145 | 145 | 145 | | |
| F | F | F | FSP | | |
| 1,2 | 1,2 | 1,2 | 2 | | |
| 145 | 145 | 145 | 180 | | |
| F | F | F | FSP | | |
| 1,8 | 1,8 | 1,8 | 2 | | |
| 180 | 180 | 180 | 180 | | |
| | | | | Ceramic | SP |
| | | | | 1,7 | 1 |
| | | | | 180 | 145 |
| | | | | Ceramic | FSP |
| | | | | 1,2 | 1,5 |
| | | | | 145 | 180 |
| | | | | | |
| 6,5 | 6,5 | 6 | 7 | 2,9 | 2,5 |
| 30 | 30 | 30 | 30 | 13 | 13 |
| | | | | | |
| 4 | 4 | 4 | 15 | 15 | 15 |
| 576 | 576 | 590 | 594 | 290 | 290 |
| 506 | 506 | 520 | 510 | 510 | 510 |
| 7,1 | 7,1 | 7,1 | 10,1 | 4,3 | 5,4 |
| | | | | | |
| 38 | 38 | 38 | 30 | 30 | 30 |
| 560 | 560 | 560 | 560 | 270 | 270 |
| 490 | 490 | 490 | 480 | 490 | 490 |
| | | | | | |
| 118 | 118 | 118 | 120 | 120 | 120 |
| 678 | 678 | 678 | 680 | 400 | 400 |
| 600 | 600 | 600 | 620 | 620 | 620 |
| 8,5 | 8,20 | 8,16 | 10,7 | 4,7 | 5,8 |
| | | | | | |
| * | * | * | * | * | * |
| * | * | * | * | * | * |
| | | | | | |
| | • | | | • | |

NOTES:

1) Refer to user instructions before cutting out

2) I=Induction; F=Fast zone; D=Dual zone; O=Oval multi purpose zone; FSP=Fast solid plate


Operation and installation instructions

GAS HOBS









| MODEL | ZGG782CTX | ZGS782ICTX / ZGS782ICTN | ZGS682ICTX/ZGS682ICTN |
|--|--------------|-------------------------|-----------------------|
| HOB FEATURES | | | |
| Number of cooking zones | 5 | 5 | 4 |
| Ignition type | Integrated | Integrated | Integrated |
| Control position | Front | Front | Front |
| Control type | Rotary | Rotary | Rotary |
| Wok burner | * | * | * |
| Safety thermocouples | * | * | * |
| Cast Iron pan supports | * | * | * |
| Design | Gas on Glass | Flat | Flat |
| ZONE SPECIFICATION | | | |
| Rear left spec 2) | SR | SR | SR |
| Rear left rating 3) (kW) | 1,9 | 2,0 | 2,0 |
| Rear left diameter (mm) | 62 | 70 | 70 |
| Front left spec 2) | SR | SR | SR |
| Front left rating 3) (kW) | 1,9 | 2,0 | 2,0 |
| Front left diameter (mm) | 62 | 70 | 70 |
| Middle rear spec | TC | TC | , , , |
| Middle rear rating (kW) | 3,8 | 4,0 | |
| Middle rear diameter (mm) | 122 | 122 | |
| Middle front spec 2) | 122 | 122 | |
| Middle front rating 3) (kW) | | | |
| Middle front diameter (mm) | | | |
| Rear right spec 2) | SR | R | TC |
| Rear right rating 3) (kW) | 1,9 | 3,0 | 4,0 |
| Rear right diameter (mm) | 62 | 100 | 122 |
| Front right spec 2) | S S | S | S S |
| Front right rating 3) (kW) | 1,0 | 1,0 | 1,0 |
| Front right diameter (mm) | 48 | 54 | 54 |
| ELECTRICAL CONNECTION | 40 | J4 | 34 |
| Total rating (max.) 3) (kW) | 10,5 | 12 | 9 |
| Fuse rating (A) | 3 | 3 | 3 |
| APPLIANCE DIMENSIONS | 3 | 3 | 3 |
| | 8 | 15 | 15 |
| Height (above worktop) (mm) Width (mm) | 680 | 744 | 594 |
| Depth (mm) | 510 | 510 | 510 |
| Net Weight (Kg) | 15,4 | 14,6 | 12,2 |
| APERTURE DIMENSIONS 1) | 13,4 | I*4,U | 12,2 |
| Height (mm) | 40 | 30 | 30 |
| Width (mm) | 560 | 560 | 560 |
| Depth (mm) | 480 | 480 | 480 |
| PACKAGING DIMENSIONS | 40U | 400 | 40U |
| Height (mm) | 160 | 170 | 170 |
| Width (mm) | 790 | 880 | 680 |
| Depth (mm) | 630 | 620 | 620 |
| | 16,1 | 15,3 | 12,8 |
| Gross Weight (Kg) SAFETY AND INTERFERENCE SUPPRESIDENT CONTROLL OF THE PROPERTY OF THE PROPER | | 15,3 | 12,0 |
| | JN ★ | * | * |
| Low Voltage Directive (LVD) | * | * | * |
| Electromagnetic Compatability (EMC) | | * * | * |
| Gas Directive LITERATURE SUPPLIED | * | * | × |
| CONTRACTOR SUPPLIED | | | |

| | make the state of | 97.16 | |
|------------|-------------------|------------|-------------------|
| ZGF980ITX | ZGF780ITX | ZGF640ITX | ZGL62ITW/ZGL62ITX |
| | | | |
| 6 | 5 | 4 | 4 |
| Integrated | Integrated | Integrated | Integrated |
| Front | Front | front | Side |
| Rotary | Rotary | Rotary | Rotary |
| * | * | <u> </u> | |
| * | * | * | * |
| Enamel | Enamel | Enamel | Enamel |
| New Soft | New Soft | New Soft | Soft |
| | | | |
| S | SR | SR | SR |
| 1,0 | 2,0 | 2,0 | 2,0 |
| 54 | 70 | 70 | 70 |
| R | SR | SR | R |
| 3,0 | 2,0 | 2,0 | 3,0 |
| 100 | 70 | 70 | 100 |
| SR | TC | | |
| 2,0 | 4,0 | | |
| 70 | 122 | | |
| SR | | | |
| 2,0 | | | |
| 70 | | | |
| S | R | R | SR |
| 1,0 | 3,0 | 3,0 | 2,0 |
| 54 | 100 | 100 | 70 |
| TC | S | S | S |
| 4,0 | 1,0 | 1,0 | 1,0 |
| 122 | 54 | 54 | 54 |
| | | | |
| 13 | 12 | 8 | 8 |
| 3 | 3 | 3 | 3 |
| | | | |
| 17 | 17 | 17 | 17 |
| 894 | 744 | 594 | 580 |
| 510 | 510 | 510 | 500 |
| 13,2 | 10,7 | 8,4 | 8,2 |
| | | | |
| 30 | 30 | 30 | 30 |
| 830 | 560 | 560 | 550 |
| 480 | 480 | 480 | 470 |
| | | | |
| 160 | 170 | 170 | 140 |
| 1020 | 880 | 710 | 670 |
| 620 | 640 | 620 | 620 |
| 13,9 | 11,14 | 9 | 8,8 |
| | | | |
| * | * | * | * |
| * | * | * | * |
| * | * | * | * |
| | | | |

63

NOTES:


Operation and installation instructions

1) Refer to user instructions before cutting out

2) S=Simmer burner; R=Rapid burner; SR=Semi-rapid burner; TC= Triple crown wok burner

3) For gas conversion purpose 3.450 btu=1kW





INSTALLATION DIAGRAMS



FRESH THINKING.

Designed to whisk away odours during cooking, Zanussi hoods are not only functional but also a key design feature in any modern kitchen that compliments the oven and hob.

Zanussi offers a wide range of different hood designs that come in a variety of sizes each giving you fantastic performance with stunning good looks.

OUR GOOD HOOD GUIDE.

HOODS

PERIMETER **EXTRACTION**

Keep your kitchen fresh with our stunning "square" design island hood, which looks good and features perimeter extraction, which cleans the air from every angle so you can use this hood over any sized hob.

ZHC4284X





ZHC9454X

ZHC9254X



EFB60X/UK

SPLASBACKS



EFC70710X





ALL SHAPES AND SIZES.



EF160011S







EFG50021S











DESIGNER HOODS

FANTASTIC PERFORMANCE WITH STUNNING LOOK'S.



All Styles and Sizes

Zanussi Hoods come in a variety of shapes and sizes. To make life easier these symbols will help you identify which hood is right for your kitchen.

Island Hoods

Designed to be suspended over a central cooking island.

Chimney Hoods

Available in different styles and widths to compliment your kitchen and create design.

Canopy Hood

Fits discreetly under a decorative kitchen unit canopy.

Integrated Hood

Hidden behind a kitchen furniture door which pulls out when required

Traditional Hood

Fit neatly under a wall cupboard with easy to reach front controls.



Speed Settings

With 3 of 4 speeds levels to choose from and even an intensive setting on some models, Zanussi hoods deliver extremely high extraction rates.



Keep the kitchen fresh with Zanussi's easy to use filters. The majority of cooker hoods come with metal grease filters that can be washed in the dishwasher.



20m²

Suitable for kitchens up to this size for optimum performance and clean air control.



Low Noise Level

Zanussi hoods operate at a low noise level, which means that your kitchen is a fresh, quiet place to cook.



Suitable for kitchens up to this size for optimum performance and clean air control.



Recirculation

The hood draws in odours hanging in the air and the re-circulates the clean air back into the kitchen. Charcoal filters are supplied with some Zanussi Hoods and are available as an optional accessory for those that do not.



12m²

Suitable for kitchens up to this size for optimum performance and clean air control.



Ducted

A more efficient mode of extraction, the hood is located near to an external wall and requires a ducting kit to extract odors outside. Ducting kits are available as an option accessory.

ZHC4284X

COOKER HOODS













Island cooker hood

Keep your kitchen fresh with our stunning 'square' design island hood, which not only looks good but also combines high performance with low noise levels and perimeter extraction, which cleans the air from every angle letting you use this hood over any size hob

Variable control

With 4 speed levels to choose from and even an intensive setting, this hood delivers extremely high extraction rates with minimum

Stylish cuboid design

Features

- 4 x halogen lights for bright illumination of the cooking area
- Attached to the ceiling for island installation
- 1 washable metal grease filter
- Charcoal filter as standard

Colour Options

ZHC4284X Island Hood

For installation diagrams see page 84

Perimeter extraction

Keep your kitchen extra fresh with perimeter extraction which draws air from every angle letting you use this hood over any size hob for easy installation.

ZHC9454X



Modern style

The sleek design of this hood will give your kitchen an extra stylish look

Rotary controls for easy speed selection

Features

- 3 speed levels + intensive setting
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- Charcoal filter as standard

Dimensions Options

ZHC9454X - 90cm ZHC6454X - 60cm

For installation diagrams see page 84

ZHC9254X



Modern style

The sleek design of this hood will give your kitchen an extra stylish look

Simple push button controls

Features

- Variable 3 speed control
- 2 x halogen lights for bright illumination of the cooking area
- 1 washable metal grease filter
- Charcoal filter as standard

Dimensions Options

ZHC9254X - 90cm ZHC6254X - 60cm

For installation diagrams see page 84

EFC70710X 395 1 2 3 m³/hr

Extendible Hood

Stylish 60cm stainless steel and glass hood that can be extended to 70cm using stainless steel side trims.

Variable control

With 3 speed levels to choose from this hood delivers a great performance with minimal noise levels.

Simple push button controls for ease of use

Features

- Variable 3 speed control
- 2 x 40W hob lights for good visability
- 2 washable metal grease filters
- Charcoal filter optional extra

Colour Options

EFC70710X Stainless Steel & Glass

For installation diagrams see page 84

Cooker Hoods
A range of hoods manufactured by the Electrolux group, designed to compliment your Zanussi kitcher appliances.















Timeless kitchen style

The effortless and clean design of this traditional cooker hood will make for a nice match with your other kitchen appliances.

A powerful motor makes for high-power ventilation.

Features

- Variable 3 speed control
- Slider controls
- 2 x 40W hob lights for good visability
- 2 washable metal grease filter
- Charcoal filter optional extra (EFF70)

Colour and Dimensions Options

EFC60001X 60cm Stainless Steel EFC60001W 60cm White EFC60001K 60cm Black EFC70001X 70cm Stainless Steel EFC90001X 90cm Stainless Steel EFC90001W 90cm White EFC90001K 90cm Black

For installation diagrams see page 85



EFI60011S

COOKER HOODS



Invisible cooker hood

This cooker seamlessly integrates under your kitchen cabinets and leaves your kitchen layout open and clean.

A cooker hood manufactured by the Electrolux Group, designed to compliment your Zanussi Kitchen appliances.

Features

- Variable 3 speed control
- Slider controls
- 2 x 40W hob lights for good visability
- Synthetic grease filter with saturation indicator
- Charcoal filter optional extra (Type 29)

Colour Options

EFI60011S Grey

For installation diagrams see page 85

EFT60004K



Matched by tradition

This cooker hood combines a traditional hood design with a choice of colours, from standard stainless steel to black and white.

Features

- Variable 3 speed control
- Slider controls
- 1 x 40W hob lights for good visability
- Synthetic grease filter with saturation indicator
- 59 dB(A) noise level
- Charcoal filter optional extra (EFF57)

Colour Options

EFT60004X Stainless Steel EFT60004W White EFT60004KBlack

For installation diagrams see page 85









EFG50021S













This capable cooker hook is seamlessly integrated in your kitchen furniture, so it becomes completely hidden from the eye.

A cooker hood manufactured by the Electrolux Group, designed to compliment your Zanussi Kitchen appliances.

Features

- Variable 3 speed control
- 3 speed fan with slider controls easy to use
- 2 x 40W hob lights for good visability
- 2 washable metal grease filter

Colour Options

EFG50021S Grey

For installation diagrams see page 85

EFB60X/UK

170 1 2 3 m³/hr 🛒



Splashbacks

Stylish stainless steel splashbacks

Features

- Compliments our range of stainless steel ovens, hobs and hoods.
- Easy to wipe clean

Colour and Dimensions Options

EFB60X 60cm X 70cm EFB90X 90cm X 70cm EFB675X 60cm X 75cm EFB975X 90cm X 75cm EFB175X 100cm X 75cm

For installation diagrams see page 85

DUAL FUEL RANGE COOKER

CREATE A STUNNING FOCAL POINT IN YOUR KITCHEN



ZCM1031X















When the flame goes out, the gas shuts off automatically, so there's no need to worry.

Multifunction

Peace of mind

Make cooking a more enjoyable part of your life with a multifunction oven, combining the benefits of fan and conventional ovens with additional functions like pizza and thermal grilling.

Thermaflow® fan-cooking system for an even temperature.

Come home to a tasty casserole or slow roast with the convenience of slow cooking.

- 2 rapid burners, 2 semi-rapid burners, 1 triple crown wok burner
- Cast iron pan supports

Second oven functions:

- 4 second oven functions, including conventional cooking and grilling

Main oven functions:

- 7 multifunction main oven, including pizza oven and thermal grilling

Cooker features:

- Fully programmable main oven timer
- Clear 'n' clean enamel liners
- Air cooled triple glazed doors

Colour Options

ZCM1031X Stainless Steel

Ideal for stir-fries our wok burner provides maximum heat to ensure all your wok cooking is effortlessly prepared.



HOODS
















| | | | | 000 | | C- F |
|--------------|---------------|-----------|---------------|-----------|-----------|---------------|
| EFC707IOX | EFC9000IX/W/K | EFC7000IX | EFC6000IX/W/K | EFG5002IS | EFI6OOIIS | EFT60004X/K/W |
| | | | | | | |
| 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Push Buttons | Slider | Slider | Slider | Slider | Slider | Slider |
| - | - | - | - | - | - | - |
| - | - | - | - | - | - | - |
| 2x40 H | 2x40 | 2x40 | 2x40 | 2x40 | 2x40 | 1x40 |
| ★ /★ | ★/★ | ★/★ | ★/★ | ★/★ | */* | ★/★ |
| - | - | - | - | on filter | on filter | on filter |
| * | * | * | * | - | - | - |
| | | | | | | |
| 500 | 650 | 650 | 650 | 650 | 500 | 650 |
| 650 | 650 | 650 | 650 | 650 | 700 | 650 |
| 205 | 420 | 420 | 120 | 250 | 210 | 170 |
| 395 | 420 | 420 | 420 | 250 | 210 | 170 |
| 290 | 300 | 300 | 300 | 210 | 110 | 150 |
| - | - | 300 | - | 210 | 110 | 150 |
| 61 | 61 | 61 | 61 | 61 | 58 | 59 |
| 60 | 60 | 60 | 60 | 60 | 62 | 58 |
| 00 | 00 | 00 | 00 | 00 | 02 | 36 |
| * | * | * | * | * | * | * |
| 150 | 150 | 150 | 150 | 120 | 100 3) | 120 |
| EFF72 | EFF62 | EFF62 | EFF62 | EFF70 | TYPE 29 | EFF57 |
| L1172 | 21102 | 21102 | 21102 | LITTO | 111 627 | 21137 |
| | | | | | | |
| 225 | 205 | 230 | 230 | 195 | 230 | 135 |
| 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 678-868 | 670-925 | 670-925 | 670-925 | 204 | 400 | 150 |
| 070 000 | 070 323 | 070 723 | 070 323 | 204 | 400 | 130 |
| 698 | 898 | 698 | 598 | 522 | 598 | 598 |
| 520 | 502 | 502 | 502 | 284 | 270 | 482 |
| 14,43 | 10,42 | 11,2 | 8,4 | 4,8 | 9,3 | 7,2 |
| | | | | | | |
| 775 | 645 | 645 | 645 | 290 | 550 | 650 |
| 405 | 980 | 680 | 680 | 605 | 720 | 210 |
| 645 | 410 | 410 | 410 | 370 | 395 | 560 |
| 18,8 | 12,85 | 14,2 | 10,28 | 5,8 | 10,5 | 8,2 |
| | | | | | | |
| * | * | * | * | * | * | * |
| * | * | * | * | * | * | * |
| | | | | | | |
| | | | | | | |

NOTES:

1) For installation aperture dimensions see installation instructions

120mm (5*) diameter flexibke ducting kit, 1 metre length. For use with all hoods up to 1 metre ducting. CDK5FR


120mm (5*) diameter flexibke ducting kits for ducting of hoods situated away from exterior wall, up to 3 metres.

150mm (6*) diameter ducting kits for ducting of hoods situated away from exterior wall, up to 3 metres.


3) 120cm outlet adaptor included

| Sales British | |
|---------------------|---|
| | |
| ZCMIO3IX* | |
| Left / Right | |
| • / | |
| | |
| | |
| ★/★ | |
| */* | |
| ★/★ | |
| /★ | |
| */ | |
| Dahara | |
| • | |
| | |
| * | |
| | |
| 5 | |
| Integrated | |
| * | |
| | |
| | |
| | |
| 1,75 | |
| 75 | |
| Semi-Rapid | |
| 1,75 | |
| | |
| | |
| | |
| Wok | |
| 3,3 | |
| 130 | |
| | |
| | |
| | |
| | |
| 0.99714A | |
| * | |
| * | |
| * | |
| | |
| | |
| | |
| | |
| | |
| | |
| 910 | |
| 1000 | |
| 600 | |
| 95 | |
| 52/31 | |
| | |
| | |
| 427 / 427 | |
| | |
| 44.00 | |
| 1145 | |
| 1145 1065 750 | |
| | Left / Right */ */ */ */ */* */* */* */* */* */* * |








INSTALLATION DIAGRAMS
















ZHC9254














THE THREE MINUTE CLEAN UP.

Our dishwashers are designed for those who would rather spend three hours over dinner, and three minutes on cleaning up. As well as being affordable and good-looking, they're easy to use. With our automatic programme, the dishwasher can set exactly the cycle it needs for the load, keeping water and energy consumption to a minimum.

There are short programmes for when you're in a hurry, Including a 30 minute wash. And you don't need to worry about remembering salt and rinse aid — It gives you a little reminder when they're needed.



FILLED WITH FEATURES.

DISHWASHERS

LOW ENERGY

A rated machines mean minimal energy and water consumption, helping the environment and saving you money.

ZDT312

Dishes clean in half an hour when you're short of time, but still give an A rated wash performance.

JUST 30 MINUTES.

ZDT41



NOT MUCH SPACE?

With our tabletop compact, every kitchen has room for a dishwasher.

ZSF2450

AUTOMATIC PROGRAMME



The dishwasher will choose the correct temperature, time, water consumption and energy based on what is in the dishwasher..

ZDTS102



ZDI122X







QUICK WASH

A RATED WASH PERFORMANCE IN JUST 30 MINUTES



Zanussi dishwashers are designed for living.

The Zanussi range of dishwashers gives you the time to enjoy life at your own pace. Clever programmes and features ensure great results whatever your needs.

Zanussi dishwashers all have low water consumption, quiet noise levels and are 'A' rated for energy, washing and drying performance, helping you help the environment and your pocket.

FEATURES TO HELP YOU CHOOSE THE RIGHT DISHWASHER

Fully integrated
The dishwasher is
hidden behind a full
height furniture door
and operated by
controls on the top
edge of the dishwasher
door.

Semi integrated
The dishwasher has a visible control panel, which matches in height to the control panel of the oven and drawer line furniture. A short furniture door is fixed below the control panel.



Delay start

Zanussi features a delay start option of up to 19 hours allowing you to wash when it suits you.



Auto Half Load

Zanussi know you don't always have time to wait for a full load, all our dishwashers are designed to automatically determine whether there is a full or half load and will adapt the water and energy accordingly.



Active Drying

For the best drying results, active drying removes the steam leaving your dishes extra dry and sparkling clean.



Rinse and Hold

A feature on all Zanussi models, which is ideal for pre-washing items until the dishwasher is fully loaded.



Quick 60°C wash

This unique programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 65°C, you will get an 'A' rated wash performance. No need to compromise quality for time.



ZDT312





This unique programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 60°C, you still get an A rated wash performance. No need to compromise on quality for time.

Multitab option

3-6-9 hours delay start

Features

- Capacity: 12 place settings

For installation diagrams see page 98

- Number of programmes: 5
- Auto half load
- Active drying
- Economy 50°C with prewash
- Foldable plate rack
- Foldable cup shelves
- Rinse and hold

ZDT41













Features

- Capacity: 12 place settings

- Number of programmes: 5

- Auto half load

- Active drying

- Economy 50°C with prewash

- Foldable plate rack

- Foldable cup shelves

- Rinse and hold

Quick wash

This unique programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 60°C, you still get an A rated wash performance. No need to compromise on quality for time.

Intensive programme 70°C- in just 89 minutes.

For installation diagrams see page 98

ZDTS102



The dishwasher that is designed around you

At just 45cm in width, this super-slim dishwasher fits easily into most spaces, so even if room is limited, you can still avoid the washing up!

Quick wash programme gives an A- rated wash performance in just 30 minutes!

Intensive programme 70°C- in just 89 minutes.

Features

- Capacity: 9 place settings
- Number of programmes: 5
- Auto half load
- Active drying
- Economy 50°C with prewash
- Foldable plate rack
- Foldable cup shelves
- Rinse and hold

For installation diagrams see page 98

7SF2450



AAB (45) 7L 48dB(A)

Small but spacious

Compact outside but spacious inside, this efficient dishwasher is perfect for small households.

Automatic Programme

Time delay

Features

- Capacity: 6 place settings
- Number of programmes: 5
- Residual drying
- 3 digit display
- Automatic 45-70°C wash
- Intensive care 70°C wash
- Salt & rinse aid indicators
- Delay start

ZDI122X



Quick wash

This unique programme is perfect for people on the go. It washes all the freshly soiled crockery from an evening meal for a family of four in just 30 minutes and with a temperature of 60°C, you still get an A rated wash performance. No need to compromise on quality for time.

Intensive programme 70°C- in just 89 minutes.

Simple-to-use controls

Features

- Capacity: 12 place settings
- Number of programmes: 5
- Auto half load
- Residual drying
- Economy 50°C with prewash
- Foldable plate rack
- Foldable cup shelves
- Rinse and hold

For installation diagrams see page 98

ZSF2450S









Small but spacious

Compact outside but spacious inside, this efficient dishwasher is perfect for small households.

30-minute quick-wash

Features

- Capacity: 6 place settings
- Number of programmes: 5
- Residual drying
- 3 digit display
- Automatic 45-70°C wash
- Intensive care 70°C wash
- Salt & rinse aid indicators
- Delay start

| DISHWASHERS | | _ |
|---|------------------|------------------|
| NODER NUMBER | TDTD/A | |
| MODEL NUMBER | ZDT3I2 | ZDT4I |
| Capacity (number of IEC place settings) | 12 | 12 |
| Design | Fully integrated | Fully integrated |
| Auto HalfLoad | * | * |
| Electronic Controls | * | * |
| LED programme progress indicator | * | * |
| Time to programme end display | | |
| End of programme indicator/End of programme alarm | ★/★ | */* |
| Delay Start | * | |
| Salt refill indicator | * | * |
| Rinse aid refill indicator | * | |
| Half load option | | |
| Number of programmes | 5 | 5 |
| Number of temperature options | 4 | 3 |
| Interior | | |
| Upper basket height | Quicklift | Adjustable |
| Cupshelves | 4 foldable | 4 foldable |
| Lower Basket Plate Racks | Fixed | Fixed |
| Basket Handles | * | * |
| Cutlery basket | * | * |
| Automatic rinse aid dispenser/Automatic detergent dispenser | */* | */* |
| Drying | Active | Active |
| Stainless steel interior | * | * |
| Installation features | | |
| Water pressure min/max (bar) | 0.5-8.0 | 0.5-8.0 |
| Water pressure min/max (Mpa) | 0.05-0.8 | 0.05-0.8 |
| | 0.05-0.6 | 0.05-0.6 |
| Equipoise door | * | * |
| Double fulcrum hinge | | |
| Drawer-line adjustment (mm) | | |
| Worktop steam protection | * | * |
| Top & side fixing brackets | * | * |
| Recessed plinth | * | * |
| Feet - 3 (front adjustment block) | * | * |
| Energy efficiency information | | |
| Energy efficiency class 3) | A | A |
| Energy consumption 1) (kWh) | 1,05 | 1,05 |
| Wash performance 3) | A | А |
| Drying performance 3) | А | А |
| Noise dB(A) to IEC 704-3 | 49dba | 53dba |
| Programme time (mins) 4) | 160 | 140 |
| Water consumption (litres/cycle) | 14 | 15 |
| Electrical connection | | |
| Connected load kW / Fuse Rating A | 2.2 /13 | 2.2 / 13 |
| Product dimensions | | |
| Height/Width/Depth mm | 818-878 /596/555 | 818-878/596/555 |
| Furniture door dimensions | | |
| Height / Width mm | 660-720 / 596 | 660-720 / 596 |
| Weight Kg | 2.0-10 | 2.0-10 |


| | | | • |
|---------------------------|--------------------|--------------|--------------|
| ZDTSI02 | ZDI122X | ZSF245OS | ZSF2450 |
| 9 | 12 | 6 | 6 |
| Slimline Fully integrated | Semi-integrated | Compact | Compact |
| * | * | | |
| * | * | * | * |
| * | * | * | * |
| | | * | * |
| ★/★ | * | * | * |
| | | * | * |
| * | * | * | * |
| | | * | * |
| | | | |
| 5 3 | 5 3 | 5 | 5 4 |
| 3 | 3 | 4 | 4 |
| Adjustable | Adjustable | | |
| 3 (2 foldable) | 2 foldable | 2 | 2 |
| Fixed | Fixed | 2 | 2 |
| * | † | | |
| * | * | * | * |
| ★/ ★ | ★/ ★ | ★/★ | ±/ ★ |
| Active | Residual | Residual | Residual |
| * | * | | |
| | | | |
| 0.5-8.0 | 0.5-8.0 | 0.8-10 | 0.8-10 |
| 0.05-0.8 | 0.05-0.8 | 0.08-1.0 | 0.08-1.0 |
| * | * | | |
| | | | |
| | 30 | | |
| * | * | | |
| * | * | | |
| * | * | | |
| * | * | | |
| | | | |
| A | A | A | A |
| 0,8 | 1,05 | 0,63 | 0,63 |
| A | A | A | A |
| A | B | B | B |
| 53dba 130 | 53dba 140 | 48dba 159 | 48dba 159 |
| 130 | 140 | 7 | 7 |
| 13 | 10 | / | / |
| 2.2 /13 | 2.2 /13 | 1.08/13 | 1.08/13 |
| 2,2/13 | 2.2713 | 1.00/13 | 1.00/13 |
| 818-878 /446/550 | 818-878 /596/575 | 447/545/480 | 447/545/480 |
| 010-07074407330 | 010-07073707373 | 44//343/400 | 44//343/400 |
| 644-714 / 446 | 528- 598 max / 596 | | |
| 1.5-6.0 | 2.0-10 | | |
| | | | |


NOTES:


All models cold water fill

- 1) Energy consumption is stated in kWh per standard test cycle, using cold water fill. Actual consumption will depend on how the appliance is used.
- 2) Estimated annual consumption based on 220 washing cycles.
- 3) Models with an 'A' rated classification offer a higher performance than those with a 'G' rating.
- 4) Time taken for a standard test cycle, using cold water fill.













MORE FRESH FOOD

WHENEVER YOU NEED IT. SIMPLE.

From fridges with extra large vegetable drawers that save on trips to the shops, to freezers that freeze extra fast. Our refrigeration range is full of ingenious ways to help you enjoy the freshest food with the least effort. Therefore you can relax and take life as it comes.

COOLING

COOL FEATURES.

FRIDGE FREEZERS

ZBB7266



GLASS SHELVES

Easy to wipe safety Glass shelves prevent spillages from contaminating other food and are height adjustable. For extra storage flexibility, Zanussi has split glass shelves, Great for accommodating tall items.



DOOR ON DOOR HINGE **EXPLAINED**

The benefits of this type of hinge are that you can add more weight to the door and open it at a larger angle, making access and use easier.

AUTO **DEFROST**







4 STAR

FREEZING

SLIDING HINGE **EXPLAINED**

The hinged furniture door is attached to the appliance with a number of brackets. As the furniture door opens, the appliance door is opened via the sliding bracket arrangement.





All of Zanussi's static and frost free freezers have a 4 star freezer rating. This enables you to store and freeze food for up to 12 months.

ZBB6284



DAIRY COMPART-**MENT**



IN-COLUMN





you're looking for with our removable transparent freezer baskets that are easier for loading and unloading.



Always find what

ZOF6114A

UNDER COUNTER



Informs you if it's

too warm (such as

when the door is left

TEMPERATURE

ALARM



ZBA6230A



MORE BENEFITS OF

FROST FREE As well as saving you the chore of having to defrost the freezer, you also get the benefit of no loss of storage space, no deterioration of energy consumption due to ice build up and food is preserved individually together so things don't stick together.

ZOS6140A

open).



ZBF6124A



4 STAR ICE BOX

Ideal for compact

kitchens, fridges with 4 star iceboxes are the ideal solution as you have space for your fresh food, combined with freezer space. A 4 star icebox allows you to store frozen food for up to 12 months and safely freeze food.

ZQS6124A





TOTAL FROST FREE

NEVER DEFROST THE FREEZER AGAIN AND FRESH FOOD STAYS FRESHER FOR LONGER.



Great cooking begins with the freshest ingredients and that's why Zanussi cooling appliances are designed with convenience in mind to provide the best total food storage solutions. Zanussi cooling appliances combine quality, functionality and built-in technology to get your food in tip-top condition whenever you need it.

Which fridge or freezer is best for you?

Under-counter appliances are great in kitchens where space is limited, these products fit neatly under the worktop, maintaining the plinth line and require no additional housing other than the furniture door. Front ventilation ensures no unsightly vents need to be fitted in the worktop.

In-column fridges or freezers, installed in a tall housing unit, with the flexibility of a separate fridge, freezer or combined fridge freezer. Our in-column refrigeration appliances are designed to be fitted with doors to match your kitchen furniture.

CRISP NO FROST

All Zanussi frost free fridge freezers have Crisp No Frost Technology. This ensures that humidity levels are maintained in the fridge whilst the temperature is kept at a low, stable temperature. This ensures that food is preserved properly, staying fresh for as long as possible.



Total Frost Free

Keep food fresher for longer with Zanussi's total frost free technology. The clever placement of the fan in the fridge and freezer preserves the foods flavours and textures whilst ensuring you never need to defrost the freezer ever again.



Fast Freeze

For fresher, safer food storage switch on the fast freeze function before you go to the supermarket, it lowers the freezer temperature, protects the contents and quickly freezes food. The freezer will automatically return to the preset temperature.



Super Cool

The Super Cool function allows you to quickly lower the fridge temperature. Ensuring that any new food added to the fridge is chilled quickly whilst it also protects the existing contents. The fridge will automatically return to the preset temperature.



Energy Efficiency

All Zanussi models are A rated making them cheaper to run and kinder to the environment.

COLING

ZBB7266













Frost free!

With a frost free freezer there is no need to defrost - saving you a chore!

Cost efficient

With an A class energy label, this energy efficient fridge-freezer helps you help the environment and your pocket.

Easy to understand electronic controls with LCD Display.

eatures

- Automatic defrost in fridge
- Super Cool function
- 2 half width salad drawers
- 3 height adjustable glass shelves
- 4 large transparent freezer drawers
- Fast freeze function with auto switch-off
- 1 full width covered dairy compartment
- 3 full width door shelves including bottle shelf
- Removable egg tray
- Hinge type: sliding door
- Reversible door hinge

For installation diagrams see page 116 $\,$

Internal fridge fan The internal fridge fan ensures that food stays fresher for longer by reducing hotspots, preserving food flavour and texture.



ZBB6286













Frost free!

With a frost free freezer there is no need to defrost - saving you a chore!

Simple display

Clear control display which is easy to understand.

'A' energy label

Feature

- Large capacity food storage space

- Automatic defrost in fridge
- 2 half width salad drawers
- 3 large freezer drawers
- Fast freeze function with auto switch-off
- 1 full width covered dairy compartment
- 3 full width door shelves including bottle shelf
- 1 half width sliding door shelf
- Removable egg tray
- Hinge type: sliding door
- Reversible door hinge

For installation diagrams see page 116

COOLING

ZBB7294











Cost efficient

With an A class energy label, this energy efficient fridgefreezer helps you help the environment and your pocket.

Simple display

Easy to use controls.

Easy-clean glass shelves

- Large capacity food storage space
- Automatic defrost in fridge
- 2 half width salad drawers
- 3 large freezer drawers
- 1 full width covered dairy compartment
- 2 full and 2 half depth glass shelves for flexible storage
- 3 full width door shelves including bottle shelf
- 1 half width sliding door shelf
- Removable egg tray
- 3 transparent freezer drawers
- Hinge type: sliding door
- Reversible door hinge

For installation diagrams see page 116

Individual freezing elements All Zanussi standard freezers and fridge freezers have individual freezing elements for each drawer so you can freeze food wherever there is space.

ZBB6284











Cost efficient

With an A class energy label, this energy efficient fridgefreezer helps you help the environment and your pocket.

Easy-clean glass shelves

Simple, straightforward controls

Features

- Automatic defrost in fridge
- 2 halfwidth salad drawers
- 3 height adjustable glass shelves
- 4 large transparent freezer drawers
- 1 full width covered dairy compartment
- 3 full width door shelves including bottle shelf
- Removable egg tray
- Hinge type: sliding door

For installation diagrams see page 116

ZBB6244











Cost efficient

With an A class energy label, this energy efficient fridgefreezer helps you help the environment and your pocket.

Simple, straightforward controls

Easy-clean glass shelves

Features

- Automatic defrost in fridge
- 2 half width salad drawers
- 3 height adjustable glass shelves
- 2 large transparent freezer drawers
- 1 full width covered dairy compartment
- 3 full width door shelves including bottle shelf
- Removable egg tray
- Hinge type: sliding door

For installation diagrams see page 116

ZBA6160A











Saves you money

This extra efficient A+ energy rated product uses less energy, saving you money.

Easy to use controls

Features

- Auto fridge defrost
- Large capacity fresh food storage space
- 1 extra large salad drawer
- 1 full width covered dairy compartment
- 2 full width door shelves
- 3 full width glass shelves for flexible storage
- Removable egg tray
- Hinge type: sliding door
- Can be integrated in column with ZBF6124A Freezer

For installation diagrams see page 117

ZBF6124A











Faster freezing

For fresher, safer food storage switch on Zanussi's fast freeze function before you go to the supermarket, it lowers the freezer temperature, protects the contents and quickly freezes fresh food.

Easy-to-use controls

Transparent drawers

Features

- 4 large capacity freezer drawers
- 4 star freezer
- Fast freeze function with automatic reset
- Visible high temperature warning signal
- Reversible door
- Freezing capacity: 16 kg/24hrs
- Hinge type: sliding door
- Can be integrated in column with 2BA6160A Larder Fridge

For installation diagrams see page 117

ZBA6230A











Saves you money

This fridge has an A class energy rating, saving you money.

The controls are so easy to understand, it's almost intuitive. You'll never need the manual!

Features

- Auto fridge defrost
- Large capacity fresh food storage space
- 2 salad drawers
- 1 full width covered dairy compartment
- 2 full width door shelves
- 4 full width glass shelves for flexible storage
- Fridge capacity (gross): 230 litres
- Removable egg tray
- Reversible door
- Hinge type: sliding door
- Can be integrated in column with ZBF6124A

For installation diagrams see page 117

ZQS6124A

4 star freezer compartment

The 4-star freezer compartment in this fridge lets you freeze your food without a separate freezer.

The controls are so easy to understand, it's almost intuitive.

'A' energy label

Features

- Auto fridge defrost
- 17 litre 4 Star freezer compartment
- Large capacity fresh food storage space
- 1 extra large salad drawer
- 1 full width covered dairy compartment
- 1 full, and 2 half depth glass shelves for flexible storage
- Removable egg tray
- Hinge type: fixed door on door
- Reversible door

For installation diagrams see page 117

Half depth shelves In selected models one of the glass shelves can be divided into two half depth shelves. This is ideal when storing tall items in the fridge.



ZQS6140A













Saves you money

This fridge has an A class energy rating, saving you money.

Easy to use controls

Features

- Auto fridge defrost
- Large capacity fresh food storage space
- 1 extra large salad drawer
- 1 full width covered dairy compartment
- 3 full width glass shelves for flexible storage
- 1 full, and 2 half depth glass shelves for flexible storage
- Removable egg tray
- Hinge type: fixed door on door
- Matching freezer: ZQF6114A

For installation diagrams see page 117

ZQF6114A











Faster freezing

For fresher, safer food storage switch on Zanussi's fast freeze function before you go to the supermarket, it lowers the freezer temperature, protects the contents and quickly freezes fresh food.

Easy-to-use controls

Transparent drawers

Features

- 3 large freezer drawers plus unique lower drawer
- 4 star freezer
- Fast freeze function with automatic reset
- External controls
- Reversible door
- Hinge type: fixed door on door
- Matching fridge: ZQS6140A

For installation diagrams see page 117

| FRIDGES & | end | recei | rest | 2006 | |
|---|---|---------------------------------------|-------------------------|-------------------------|--|
| | - 1 | | 13 | - | - |
| FREEZERS | | 100 | === | 1 | Bird. |
| MODEL | ZBB7266 | ZBB6286 | ZBB7294 | ZBB6284 | ZBB6244 |
| | Total No-frost 50:50 Fridge freezer | Frost free 70:30 Fridge freezer | 70:30 Fridge freezer | 50:50 Fridge freezer | 70:30 Fridge freezer |
| Fridge features | | | | | |
| Defrost | auto | auto | auto | auto | auto |
| Electronic controls with LCD display Electronic controls | * | * | | | |
| Super Cooling | * | | | | |
| Mechanical temperature controls | | * | * | * | |
| Adjustable thermostat coin/ knob | | Knob | Knob | Knob | Knob |
| Dairy compartment | * | * | * | * | * |
| Full width door shelves | 3 | 3 | 3 | 3 | 3 |
| 1/2 width sliding shelf | | 1 | 1 | | |
| Bottle rack with grippers | * | * | * | * | * |
| Air circulation fan Glass shelves (full depth) | * 2 | 2 | 2 | 2 | 2 |
| Glass shelves (half depth) | 2 | 2 | 2 | 2 | 2 |
| Flexible shelf positions | * | * | * | * | * |
| 2 half width salad bins with full width glass cover | * | * | * | * | * |
| Interior light | * | * | * | * | * |
| Egg tray | * | * | * | * | * |
| Freezer features | | | | | |
| Frost Free | * | * | | | |
| Defrost - freezer | auto | auto | manual | manual | manual |
| Electronic temperature controls | * | * | | | |
| Electronic controls with LCD display | ★ | * | | | |
| On LED (Green) Fast Freeze Function with timed auto switch off | In LCD display ★ | * | | | |
| Fast freeze LED (Yellow) | In LCD display | * | | | |
| High temperature warning LED (Red) | In LCD display | | | | |
| High temperature warning audible buzzer | * | | | | |
| Freezer compartments (flap/ drawers) | 0/4 | 0/3 | 0/3 | 0/4 | 0/2 |
| Transparent freezer compartments | * | * | * | * | * |
| Freezer calendar | * | * | * | * | * |
| Ice cube tray | * | * | * | * | * |
| lce scraper | | | * | * | * |
| Other features Reversible Doors | * | * | * | * | * |
| 100% CFC free | * | * | * | * | * |
| 100% HFC free | * | * | * | * | * |
| Fridge freezer split | 50.50 | 70.30 | 70.30 | 50.50 | 70.30 |
| Energy efficiency information | | | | | |
| Energy efficiency class 1) | А | А | А | А | А |
| Energy consumption kWh/year 2) | 335 | 314 | 318 | 321 | 292 |
| Noise, IEC 704-3, dB(A) | 38 | 38 | 36 | 36 | 36 |
| Gross capacity fridge litres (cu.ft) | 164 (5.8) | 214 (7.6) | 214 (7.6) | 173 (6.1) | 173 (6.1) |
| Net capacity fridge litres (cu.ft) Gross capacity freezer litres (cu.ft) | 162 (5.7) 91 (3.2) | 210 (7.4) 68 (2.4) | 210 (7.4) 76 (2.7) | 170 (6.0) 110 (3.9) | 170 (6.0) 62 (2.2) |
| Net capacity freezer litres (cu.ft) | 78 (3.0) | 55 (1.9) | 70 (2.7) | 92 (3.3) | 60 (2.1) |
| Frozen food rating | 4 star | 4 star | 4 star | 4 star | 4 star |
| Power cut safe hours 3) | 25 | 13 | 20 | 18 | 20 |
| Freezing capacity Kg/ 24hours | 10 | 4 | 4 | 10 | 6 |
| Climate class 4) | SN-N-ST-T | SN-N-ST | SN-N-ST | SN-N-ST | SN |
| Electrical connection | | | | | |
| Connected load Watts | 160 | 150 | 200 | 140 | 150 |
| Fuse rating A | 13 | 13 | 13 | 13 | 13 |
| Product Dimensions | 1772, 540 - 547 | 1772 5 40 5 47 | 1772 v E 40 v E 47 | 1772 v E 40 · · E 47 | 1441 :: 540 : 5 |
| Height x Width x Depth (mm) Net Weight Kg | 1772×540×547 59,5 | 1772×540×547 57,5 | 1772×540×547 57,0 | 1772×540×547 57,5 | 1441 x 540 x |
| Net weight kg Built-in Dimensions | 39,3 | 37,3 | 37,0 | 37,3 | 40,0 |
| | 1780×560×550 | 1780×560×550 | 1780×560×550 | 1780×560×550 | 1446 x 560 x 5 |
| Height x Width x Depth (mm) | 1/00 x 300 x 3.10 | | | | |
| | Slider | Slider | Slider | Slider | Slider |
| Door Fixing | | Slider | Slider | Slider | Slider |
| Height x Width x Depth (mm) Door Fixing Packaging information Height x Width x Depth (mm) | | Slider 1860×610×620 | Slider 1860×610×620 | Slider 1860×610×620 | Slider 1530×610×62 |

| M | latt silver | inclinable | e bottle r | ack for | wine and large s | oft drink bottle | es - optional extra | . Order BTLRACKS, | suitable for In-column fridges only. | |
|---|-------------|------------|------------|---------|------------------|------------------|---------------------|-------------------|--------------------------------------|--|
| | | | | | | | | | | |

1) Energy efficiency class based on a scale of A+ (most efficient) to G (least efficient)
2) Based on standard test results for 24 hours in accordance with EN153. Actual consumption will depend on how the appliance is used and where it is located
3) Time for food temperature to rise from -18°C to -9°C with the power off and the door remaining closed
4) Climate class - the product is suitable for use in ambient temperatures of SN: 10-32°C, N:16-32°C, ST: 18-38°C, T: 18-43°C



















| TILLZLIN | OLDER. | -made | All and the second | | | |
|--|----------------------------|----------------------|----------------------------|--------------------------------|--------------------------|--|
| MODEL | ZBA6160A | ZBF6124A | ZBA6230A | ZQS6140A | ZQF6114A | ZQS6124A |
| Format | In-column larder fridge | In-column Freezer | In-column larder fridge | Under counter larder fridge | Under counter freezer | Under counter fridge with 4 star freezer |
| Fridge features | | | | | | |
| Defrost | auto | | auto | auto | | auto |
| ${\it Electromechanical temperature controls}$ | * | | * | * | | * |
| Adjustable thermostat coin/knob | Knob | | Knob | Knob | | Knob |
| Dairy compartment | * | | * | * | | * |
| Full width door shelves | 3 | | 3 | 1 | | 1 |
| 1/2 width sliding shelf | | | | 1 | | 1 |
| Bottle rack with grippers | * | | * | * | | * |
| Glass shelves (full depth) | 3 | | 4 | 2 | | 1 |
| Glass shelves (half depth) | | | | 2 | | 2 |
| Flexible shelf positions | * | | * | * | | * |
| Full width transparent salad bin with 2 half width hinged glass lids | * | | | * | | * |
| 2 halfwidth salad bins with full width glass cover | | | * | | | |
| Interior light | * | | * | * | | * |
| Egg tray | * | | * | * | | * |
| Freezer features | | | | | | |
| Defrost - freezer | | manual | | | manual | manual |
| Electronic temperature controls | | * | | | * | |
| Adjustable thermostat coin/ knob | | Knob | | | Knob | |
| On LED (Green) | | * | | | * | |
| Fast Freeze Function | | | | | | |
| with timed auto switch off | | * | | | * | |
| Fast freeze LED (Yellow) | | * | | | * | |
| High temperature warning LED (Red) | | * | | | * | |
| High temperature warning audible buzzer | | | | | * | |
| Door open warning audible buzzer | | | | | * | |
| Freezer compartments (flap/ drawers) | | 0/4 | | | 0/4 | 1/0 |
| Transparent freezer compartments | | | | | * | |
| Freezer calendar | | * | | | | |
| lce scraper | | * | | | * | |
| Other features | | | | | | |
| Adjustable feet | | | | * | * | * |
| Reversible Doors | * | * | * | * | * | * |
| 100% CFC free | * | * | * | * | * | * |
| 100% HFC free | * | * | * | * | * | * |
| Matching fridge/ freezer | ZBF6124A | ZBA6160A | | ZQS6114A | ZQS6140A | |
| Energy efficiency information | | | | | | |
| Energy efficiency class 1) | А | А | А | А | А | А |
| Energy consumption kWh/year 2) | 153 | 208 | 161 | 151 | 210 | 224 |
| Noise, IEC 704-3, dB(A) | 38 | 36 | 35 | 35 | 38 | 37 |
| Gross capacity fridge litres (cu.ft) | 154 (5.5) | | 230 (8.1) | 140 (5.0) | | 105 (3.7) |
| Net capacity fridge litres (cu.ft) | 152 (5.4) | | 228 (8.1) | 136 (4.8) | | 100 (3.6) |
| Gross capacity freezer litres (cu.ft) | | 110 (3.9) | | | 108 (3.8) | 17 (0.6) |
| Net capacity freezer litres (cu.ft) | | 94 (3.3) | | | 98 (3.5) | 17 (0.6) |
| Frozen food rating | | 4 star | | | 4 star | 4 star |
| Power cut safe hours 3) | | 20 | | | 29 | 13 |
| Freezing capacity kg/ 24hours | | 16 | | | 18 | 2,5 |
| Climate class 4) | SN-N-ST | SN-N-ST-T | SN-N-ST | SN-N-ST | SN-N-ST | SN-N-ST |
| Electrical connection | | | | | | |
| Connected load Watts | 80 | 100 | 140 | 110 | 120 | 110 |
| Fuse rating A | 13 | 13 | 13 | 13 | 13 | 13 |
| Product Dimensions | | | | | | |
| Height x Width x Depth (mm) | 873×540×549 | 873×540×547 | 1218×540×549 | 815/868x596x550 | 815/868x596x550 | 815/868x596x550 |
| Net Weigh Kg | 29,0 | 33,5 | 43,0 | 34,0 | 38,0 | 37,0 |
| Built-in Dimensions | | | | | | |
| Height x Width x Depth (mm) | 880×560×550 | 880×560×550 | 1225×560×550 | 820/870x600x550 | 820/870x600x550 | 820/870x600x550 |
| Door Fixing | Slider | Slider | Slider | Door on door | Door on door | Door on door |
| Packaging information | Silder | Sildel | Judei | 2001 011 0001 | 2001 011 0001 | 20010114001 |
| Height x Width x Depth (mm) | 925 x 586 x 620 | 960 x 600 x 620 | 1300×600×620 | 880 x 640 x 620 | 880 x 640 x 620 | 880×640×620 |
| Gross Weigh Kg | 30,0 | 36,0 | 46,0 | 35,0 | 39,0 | 38,0 |
| C.COO Weighting | 30,0 | 30,0 | -10,0 | 33,0 | 39,0 | 30,0 |





















GETTING CLOTHES DIRTY

WILL ALWAYS BE MORE FUN THAN GETTING THEM CLEAN.

That's why Zanussi offers a range of washing machines and washer dryers that can help you get great results, with less time and effort.

With our intelligent Jetsystem wash technology, you don't have to wait for full loads anymore, meaning that you can wash what you want when you want.

Our EasyIron programme, for instance, does just what it says and makes ironing easier; while our large capacity 6kg washing machines make it easier to do your washing in one go.



OUR WASHING LINE-UP.

WASHERS

WASHER DRYERS

ZWI2125

JETSYSTEM

ZKI245



The Jetsystem wash technology automatically adjusts amount of water and time used based on the amount of clothes you put in. Saving you water and energy.





MINI 30

ZWI1125







Less time ironing, more time to do what you want.











LOADED WITH SPECIAL WASH PROGRAMMES AND OPTIONS

TO MAKE YOUR LIFE EASIER



Sit back, relax and let Zanussi take the strain out of the laundry.

Time and energy saving features help make wash days easier and give you time to do the things you enjoy.

JETSYSTEM

Keeping water and energy costs to a minimum; your Zanussi washing machines wash a 1kg load as efficiently as a 6kg load, thanks to the intelligent technology that measures the amount of water needed for your laundry.



Energy Label

Help the environment and your pocket by saving energy and water. A rated machines mean that Zanussi offer a low level of energy consumption coupled with reduced water consumption, proving that every little helps.



Electronic controls

For complete peace of mind all washing machines and washer dryers are fully electronic ensuring ease of programming with precise control.



Larger Capacity

The days of separating loads are gone, wash larger loads more easily and less often thanks to Zanussi's large capacity washing machines. It also makes washing larger items easier.



Aquacycle wash system

Zanussi's Aquacycle wash system uses lifters to circulate the water around the drum, ensuring that the water and detergent is distributed more efficiently giving a better wash performance.



Laundry programmes and options



Easy Iron

By keeping your wash load moving and introducing a cooling down phase with cold water, easy iron protects delicate and synthetic fabrics from developing permanent creases, saving you ironing time.



Delicates

A gentle programme suitable for delicate fabrics such as fine viscose polyester blends.



Handwash option

For use with "Handwash only" labelled clothing, this is an extremely gentle programme where clothes are gently supported in the drum as they are moved delicately through the wash solution.



Mini 30°C

A 30°C wash in 30 minutes – ideal for clothes only worn once or clothes you need in a hurry.



Prewash option

For extra dirty clothes, the prewash will loosen the dirt and remove it from the clothes prior to the main wash – ideal for children's clothes.



Delay Start option

For added convenience, most Zanussi washing machines feature a delay start option of up to 20 hours allowing you to wash when it suits you or when a lower rate of electricity is available.



Wool

The wool programme reduces the drum rotation so that clothes are gently and constantly moved in the water to reduce matting and stretching of delicate fabrics and woollens.



Cottons

This standard programme delivers an "A" wash performance for a family sized laundry load.



Cottons Economy

Extending the wash phase of the cottons programme, this programme delivers "A" wash performance whilst using minimum energy, saving money.



A-10% energy performance

Energy rating for a washer is 10% better than energy-efficiency-class A.



Synthetics

To move with the modern day fabric trends, the synthetics programme is great for the everyday fabrics such as polyester and lycra blends.



6+4 kg

Wash and dry capacity. With large wash to dry capacity, you can now conveniently wash & dry continuously without having to remove excess clothes after washing and before you start drying.



Extra Rinse option

Extra rinse option - ideal for anyone with extremely sensitive skin.



Variable spin speed

Allows you to alter the spin speed to suit your requirements whilst ensuring the safe fabric care of your chosen programme.



Daily wash

For slightly soiled clothes this option shortens the wash time by approx. 25 minutes but does not compromise on wash results.

ZWI1125



Less ironing

By keeping your wash load moving and using a cool down phase with cold water, this programme prevents delicate and synthetic fabric from developing permanent creases.

Features

- Delay start option
- Easy iron programme
- Handwash programme
- Wool programme
- Option to tailor programmes including:
- Prewash option
- Extra rinse
- A-10% energy efficiency class

For installation diagrams see page 131

ZKI225



Less ironing

The easy iron programme does most of the work for you by helping keep your clothes wrinkle-free.

Built-in washer dryer for washing and drying with one appliance

Features

- LCD display
- 21 programmes including:
- Quick wash
- Handwash
- Option to tailor programmes:
- Delay start option set the machine to start when it suits you
- Drying time
- A class wash performance

For installation diagrams see page 131

ZWI2125



Jetsystem wash technology

The Jetsystem wash technology saves you energy and water based on your wash load size, providing the cleanest, most economical and efficient performance.

Features

- Delay start option
- LCD display
- Easy iron programme
- Handwash programme
- Wool programme
- Option to tailor programmes including:
- Prewash option
- Extra rinse

For installation diagrams see page 131

ZKI245



Save energy and water

The Jetsystem wash technology saves you energy and water based on your wash load size, providing the cleanest, most economical and efficient performance.

Built-in washer dryer for washing and drying with one appliance

Features


- Jetsystem wash technology
- 3 digit LCD display
- Delay start option
- 25 programmes including:
- Ouick wash
- Easy Iron
- Handwash
- Option to tailor programmes


For installation diagrams see page 131

| WASHING MACHINES | | | | |
|---|-----------------|-----------------|-----------------|-----------------|
| | WACHENIC. | MACHINES | AMA CLIET | DEDIVED |
| MODEL | ZWI2125 | ZWIII25 | | R DRYER |
| MODEL | | | ZKI245 | ZKI225 |
| Wash system | Jetsystem | Aqua cycle | Jetsystem | Aqua cycle |
| Wash capacity kg | 6 | 6 | 6 | 6 |
| Ory capacity kg | | | 4 | 4 |
| Spin speed rpm | 1200 | 1200 | 1400 | 1200 |
| Controls | | | | |
| _CD display | * | | * | * |
| Electronic controls | * | * | * | * |
| Rotary controls | 1 | 1 | 1 | 1 |
| Push buttons | 7 | 5 | 7 | 7 |
| Programme progress LED's | * | * | * | * |
| Delay timer hours | 20 | 3/6/9 | 20 | 20 |
| Display for programme time, delay time and countdown to programme end | * | 37 07 7 | * | * |
| Programmes | | | | |
| Cottons/linens | * | * | * | * |
| Cotton Prewash | | | * | * |
| Synthetics | * | * | * | * |
| • | * | * | * | × |
| Easy iron | _ | | | A |
| Delicates | * | * | * | * |
| Wool | * | | | |
| Handwash | * | * | * | * |
| Mini 30 minutes | * | | * | |
| eans | * | | * | * |
| Curtains | * | | | |
| Soak 30 | * | | | |
| Options | | | | |
| Quickwash | * | * | * | * |
| Spin speed reduction / rinse hold | * | * | * | * |
| Prewash | * | * | | |
| Extra Rinse | * | * | * | * |
| Economy | * | | * | * |
| Easy ironing | * | | * | * |
| | | | * | * |
| Orying time | | | × | |
| Features | | | | |
| Large porthole | * | * | * | * |
| Wide door opening | * | * | * | * |
| EU Energy Efficiency Information | | | | |
| Wash/ spin only | | | | |
| Energy Class (wash/spin only) ¹ | A-10% | A-10% | A-10% | A-10% |
| Energy consumption ² kWh/cycle | 1,02 | 1,02 | 1,02 | 1,02 |
| Average annual energy consumption ⁴ kWh/year | 204 | 204 | 204 | 204 |
| Water consumption ² litres/ cycle | 42 | 45 | | |
| Average annual water consumption ⁴ litres/ year | 8400 | 9000 | | |
| Washing programme time ² mins | 145 | 155 | 145 | 155 |
| Washing performance (A-G) ² | A | A | A | A |
| Spin efficiency (A-G) ² | В | В | В | В |
| Vater extraction efficiency % | 53 | 53 | 49 | 53 |
| Energy Class (wash/spin/dry) ¹ | | 33 | В В | C C |
| | | | 4,85 | 5,58 |
| Energy consumption ³ kWh/cycle | | | | |
| Average annual energy consumption ⁵ kWh/year | | | 970 | 1116 |
| Water consumption ³ litres/ cycle | | | 84 | 91 |
| Average annual water consumption ⁵ litres/year | | | 16800 | 18200 |
| Washing performance | | | А | А |
| Nater extraction efficiency % | | | 49 | 53 |
| Electrical and water connection | | | | |
| /oltage/ frequency Volts/Hz | 240/50 | 240/50 | 240/50 | 240/50 |
| Connected load Watts | 2050 | 2050 | 2050 | 2050 |
| use rating A | 13 | 13 | 13 | 13 |
| Water fill | Cold | Cold | Cold | Cold |
| Appliance dimensions | | | | |
| Height x Width x Depth (mm) | 820 x 600 x 555 |
| Net weight kg | 63,9 | 63,4 | 68,9 | 67,4 |
| Built-in Dimensions* | | , . | | ,- |
| Height x Width x Depth (mm) | 825 x 600 x 600 |
| reignes widens Departmin) | 023 X 000 X 000 |
| Packaged Dimensions | | | | |
| Packaged Dimensions HeightxWidthxDepth (mm) | 900 × 640 × 650 | 900 x 640 x 650 | 900 x 640 x 650 | 900 x 640 x 640 |

130







Please refer to the instruction manual before cutting out.


NOTES:

- * PD10 kit for 50mm extra height optional extra
- 1) Models with an 'A' rated classification offer a higher performance than those with a 'G' rating
- 2) Based on standard test results for 60°C cotton cycle
- 3) Based on standard test results for 60°C cotton cycle and "dry cotton" drying cycle
- 4) Average annual consumption for a 4 person household based on 200 standard 60°C cotton cycles, never using the dryer
- 5) Average annual consumption for a 4 person household based on 200 standard 60°C cotton cycles, always using the dryer

n cycles, always using the dryer

ENERGY EFFICIENCY INFORMATION

This scheme, which covers refrigerators, freezers, washing machines, tumble dryers, dishwashers and electric ovens, is designed to offer consumers a standardised method of choosing the most energy efficient appliances. For refrigerators and freezers, as well as stating the Energy Efficiency Class ('A+' – most efficient, 'G' – least efficient) the label also gives the annual electricity consumption (ie. running costs) and the usable storage capacity. For some washing machines and cookers energy rating is stated as A-10% to show that the model is 10% better than an energy-efficiency-class A. The label also states the wash performance and spin efficiency. Three ratings are given to ensure efficiency combined with washing and drying. For dishwashers the label states energy efficiency, washing and drying performance.



SERVICE FORCE NETWORK

Telephone (08445) 616 616 www.serviceforce.co.uk



RESPONSIVE CUSTOMER CARE/AFTER SALES SERVICE

Once you've bought a Zanussi appliance you're safe in the knowledge that in the unlikely event of a fault occurring you can rely on our commitment to look after your appliance throughout its working life. Our network of fully trained service engineers are available nationwide and our complete care service is one of the most extensive and reliable available.

12 MONTHS PARTS AND LABOUR GUARANTEE

In the unlikely event of any repairs being required in the first year, we will carry them out free of charge.

In addition, any repairs carried out after the guarantee period are covered by their own 12 month guarantee, parts only.*.

* Guarantee conditions provided on request.

RAPID SERVICE

If you call us out under the 12 month guarantee, we endeavour to fix the appliance within seven working days of our first call.

LOCAL SERVICE NATIONWIDE

Backed by the extensive range of spare parts held by our central warehouse, the Service Force Network will endeavour to repair your product in your home within 72 hours of receipt of the original call.*

 $^{\diamond}$ Excludes Saturdays, Sundays and Bank holidays, and may not be available in rural or outlying areas.

SERVICE BY APPOINTMENT

To allow you to plan your day we can offer an appointment within a 3 hour time period, when the call is booked two days in advance.*

We can also provide service outside of office hours and Saturday mornings.***

 $\ensuremath{^{\circ}}$ Please note. The service pledge does not apply in the Republic of Ireland.

**A small extra charge is payable for this service.

MARKETING POLICY

The policy of Zanussi is one of continued improvement. We therefore reserve the right to alter or amend product ranges, specifications and dimensions without notice. All specifications/dimensions including installation dimensions should be checked with the appropriate instruction manual before use or installation. If in doubt, contact your local Zanussi stockist who regularly receives up to date product information from our marketing department. E and O.E

ZANUSSI IS PART OF THE ELECTROLUX GROUP—THE THOUGHTFUL DESIGN INNOVATOR

Do you remember the last time you opened a gift that made you say 'Oh how did you know? That's exactly what I wanted!' That's the kind of feeling that the designers at Electrolux seek to evoke in everyone who chooses or uses one of our products. We devote time, knowledge, and a great deal of thought to anticipating and creating the kind of appliances that our customers really need and want.

This kind of thoughtful care means innovation with insight. Not design for design's sake, but design for the user's sake.

For us, thoughtful design means making appliances easier to use and tasks more enjoyable to perform, freeing our customers to experience that ultimate 21st century luxury, ease of mind. Our aim is to make this ease of mind more available to more people in more parts of their everyday lives, all over the world. So when we say we're thinking of you, you know that we mean just that.



Share more of our thinking at **www.electrolux.com**